

rampCENTRE<sup>®</sup> by

Enable Access

easyCare systems

# Access & Ramp DIRECTORY



Don't miss the **ALL NEW** products!



easyCare systems

Easy Care Systems is proud to be a UK Distributor of Enable Access  
info@easycare systems.co.uk | www.easycare systems.co.uk

ISO 9001:2015 Quality Management | ISO 14001:2015 Environmental Management



# Welcome!



## The **biggest ever** range of **mobility access solutions** from **Enable Access** is here!

Enable Access is a leading British manufacturer and distributor of mobility access and evacuation products. Our extensive range includes residential and commercial ramps, train ramps and evacuation chairs. With over twenty-five years of experience innovating for an accessible world, our products are designed with safety, ease of use, and reliability in mind.

Our premium ramp ranges are manufactured in Britain using aluminium, a repeatedly recyclable metal, to ensure optimal quality and reduced shipping emissions. Whether you are looking for a mobility solution for your home or business, or need to ensure safe evacuation in an emergency, **Enable Access has the expertise to help.**

## Our Values...

### Dependability

Integrity is our core ethos; we strive to be a reliable and trustworthy supplier.

### Range

We offer comprehensive ramp access solutions, quickly delivered at cost-effective prices.

### Innovation

As a market-leading manufacturer, we are always pursuing new and improved, cost-effective access solutions.

### Sustainability

Our culture of continual improvement and corporate responsibility fosters sustainable growth and care for the environment.

### People

Our customers, suppliers, and motivated team are crucial to fulfilling our mission of 'Social inclusion at another level'.

### Understanding

An accumulated wealth of expertise; combined with the desire to learn and listen, allows us to understand all of the customer's needs, whatever the situation.



## Ramp Specifier Guide



4-5

### Aerolight® Full-Width Portable Ramps



8-17

### Rollout-Trackway & Patio Instant access for uneven ground



18-19

### doorline™ Threshold Ramps



20-29

### ultralight™ Channel Ramps



30-33

### permaramp® Relocatable External Ramps



34-41

### Welcome® Giant Half-Steps



42-45

### NEW Welcome® Residential Modular Ramp System



46-53

### NEW Welcome® Standalone Steps and Handrails



54-59

### SRS™ Modular Ramp System



60-63

### Metro® Budget/Contract Products























64-65

# Ramp Specifier Guide



Choosing the correct ramp is important, just like finding the right size shoe or the correct glasses. Please don't hesitate to give our experienced team a call if you need any assistance.

## Choose your ramp type

Internal Steps/Thresholds 	Steps/Stairs 	Wood/Level Access Door Threshold 	uPVC Door Threshold 	Vehicle Access 
<p><b>doorline™-threshold wedge</b> p24</p> 	<p><b>Aerolight™</b> p8</p> 	<p><b>Aerolight™</b> p8</p> 	<p><b>Aerolight™-Up&amp;Over</b> p11</p> 	<p><b>Aerolight™-Lifestyle</b> p13</p> 
<p><b>doorline™-variawedge</b> p25</p> <p><b>NEW</b></p> 	<p><b>Aerolight™-High Rise</b> p10</p> 	<p><b>doorline™</b> p20</p> 	<p><b>The Butterfly Ramp™</b> p22</p> 	<p><b>Aerolight™-Broadfold</b> p14</p> 
<p><b>doorline™-neatedge</b> p27</p> 	<p><b>permaramp™</b> p34</p> 	<p><b>permaramp™</b> p34</p> 	<p><b>permaramp™-adjust</b> p36</p> 	<p><b>Aerolight™-Max</b> p16</p> <p><b>NEW</b></p> 
<p><b>The Butterfly Ramp™</b> p22</p> 	<p><b>NEW Welcome®</b> p46</p> <p><b>NEW</b></p> 	<p><b>NEW Welcome®</b> p46</p> <p><b>NEW</b></p> 	<p><b>NEW Welcome®</b> p46</p> <p><b>NEW</b></p> 	<p><b>ultralight™-telescopic</b> p32</p> 

### Key icons



Suitable for all weathers



Compact Storage



Lightweight Solution



Look out for great tips



Leave-in-place



Fast install



# How steep?

1:6 (10°)\*



Acceptable in some cases for short threshold ramps.

1:8 (7°)\*




A useful balance between gradient and space suitable for portable ramps in some assisted applications and events etc.

1:12 (5°)



Often required by social services and local authorities. Minimum required by Building Regulations Document M for installed ramps.

1:15 (4°)



Sometimes required by social services and local authorities for independent access but typically for installed public access ramps.


\*Assess safety/risk

# How long?

- a. Measure the step height/level difference.  
(Total height of steps or height to resting point on vehicle)




**Remember:**  
"The longer the ramp, the easier the slope".



- b. Use the **Ramp Length Guide**      Height x Gradient = Length Required

Height (up to)	Length		
	1:6	1:8	1:12
10cm (4ins)	60cm (2ft)	80cm (2ft 8ins)	120cm (4ft)
15cm (6ins)	90cm (3ft)	120cm (4ft)	180cm (6ft)
20cm (8ins)	120cm (4ft)	160cm (5ft 4ins)	240cm (8ft)
25cm (10ins)	150cm (5ft)	200cm (6ft 8ins)	300cm (10ft)
30cm (1ft)	180cm (6ft)	240cm (8ft)	360cm (12ft)
45cm (1ft 6ins)	270cm (9ft)	360cm (12ft)	540cm (18ft)
60cm (2ft)	360cm (12ft)	480cm (16ft)	720cm (24ft)

# Select by height range



\*Heights shown are based on 1:8 gradient.

# Eureka!

Look out for these unique safety icons through the catalogue

## Gripline™ technology

This unique patented safety feature is now seen on a number of our Doorline™ products, and gives improved user experience. The built-in shock absorbing qualities give a smoother ride and comfortable transition from ground to ramp!

- ▶ Gives front edge grip for extra wheel travel safety
- ▶ Anti-slip underside safely locks the ramp in place as the mobility device rides onto it
- ▶ Protects all floor finishes, even polished wood floors

### Gripline™ technology



## Gripdeck™ technology

Unique to Enable Access and used on Permaramp, Welcome® Ramp and Step systems and Giant Half-Step products, this special multi-directional grip surface gives extra safety and traction for mobility devices and users.

- ▶ Independently tested to last, and to provide even more grip in the wet!
- ▶ Child & pet-friendly, plus suited to all shoe and heel types
- ▶ Solid surface prevents grass and weeds 'grow-through'
- ▶ Extremely durable and washable finish

### Gripdeck™ technology



Child & pet-friendly



Multi-directional grip



Suited to all heel types



Retains high grip in wet



Prevents grass & weeds 'grow-through'



Extremely durable & washable surface



# What's New?



## Aerolight<sup>®</sup>-Max

Commercial folding suitcase ramp

PAGE  
16



## doorline<sup>™</sup>-variwedge

Simple indoor/outdoor threshold solution

PAGE  
25



## permaramp<sup>®</sup>-High Rise

Reach double the height

PAGE  
40



## NEW Welcome<sup>®</sup>

Residential Modular Ramp System

PAGE  
46



## NEW Welcome<sup>®</sup>

Standalone Steps

PAGE  
54



## NEW Welcome<sup>®</sup>

Standalone Handrails

PAGE  
56



## METRO<sup>®</sup> Portable Folding Aluminium Ramp

PAGE  
64



## METRO<sup>®</sup> Adjustable Wedge Ramp

PAGE  
65

What's New?


# rampCENTRE® Aerolight® Full-width portable ramps

“This new product  
melds very well with the  
environment; it's not a  
beacon for disability.”  
Kate Sheehan,  
Occupational Therapist




So **VERSATILE**, So **EASY-TO-USE**,  
So **QUICK TO DEPLOY**, So **SAFE**,  
So **STRONG**, So **LIGHTWEIGHT!**


- ▶ Subtle reflective lip feature for increased safety in low-light situations
- ▶ Great for all types of wheelchairs, rollators and scooters (2, 3, 4, 5 and 6 wheel types)
- ▶ A full-width anti-slip surface provides excellent grip
- ▶ Available in different styles and sizes to suit your needs
- ▶ Unique tapered lip design to fit narrow doorways and allow seamless transition for bridging



**Aerolight®-Xtra** **9**  
Premium folding suitcase ramp




**Aerolight®-High Rise** **10**  
Combinations for lengths up to 16ft (480cm)




**Aerolight®-Up&Over** **11**  
Perfect for uPVC thresholds



**Aerolight®-Classic** **12**  
Premium non-folding ramp




**Aerolight®-Lifestyle** **13**  
Premium multi-folding ramp



**Aerolight®-Broadfold** **14**  
Premium folding ramp



**Aerolight®-Travel Ramp** **15**  
Extremely compact and very lightweight



**Aerolight®-Max** **16**  
Commercial folding suitcase ramp



**Aerolight®-Accessories** **17**



# rampCENTRE® Aerolight®-Xtra

## Premium folding suitcase ramp

“The fact that these ramps are the lightest on the market makes it an easier selling point all-round.”  
(RampCentre Dealer)


A proven and popular workhorse

Aerolight® - Full-width portable ramps



Quick and easy to deploy, the Aerolight®-Xtra is an all-round winner in real life situations. Since its introduction in 2003, the original style has seen many improvements and is now also available in High Rise and Up&Over kits.

- ▶ **Folds and clips together for convenient, compact storage**
- ▶ **Flat underneath for the best possible step clearance**
- ▶ **Very easy to carry and deploy**
- ▶ **Full-width anti-slip surface provides excellent grip which folds inside when stored and carried for protection and safety**
- ▶ **Contrasting colour edge strip increases visibility**



Code	Length	Capacity	Weight	Stored Dimensions L x W x D
<b>Width: 76cm (30ins)</b> (excluding handles). Lip width 71.4cm (28.1ins).				
<b>AX6</b>	60cm (2ft)	450kg (71st)	4.9kg (11lbs)	60 x 39 x 8cm (24 x 15 x 3ins)
<b>AX9</b>	90cm (3ft)	450kg (71st)	6.6kg (15lbs)	90 x 39 x 8cm (35 x 15 x 3ins)
<b>AX12</b>	120cm (4ft)	400kg (63st)	8.6kg (19lbs)	120 x 39 x 8cm (47 x 15 x 3ins)
<b>AX15</b>	150cm (5ft)	350kg (55st)	10.4kg (23lbs)	150 x 39 x 8cm (59 x 15 x 3ins)
<b>AX18</b>	180cm (6ft)	350kg (55st)	12.3kg (27lbs)	180 x 39 x 8cm (71 x 15 x 3ins)
<b>AX21</b>	210cm (7ft)	300kg (47st)	14.2kg (31lbs)	210 x 39 x 8cm (83 x 15 x 3ins)
<b>AX24</b>	240cm (8ft)	250kg (39st)	16kg (35lbs)	240 x 39 x 8cm (98 x 15 x 3ins)
<b>High Rise Kits (See P10)</b>	<b>HR30</b>	300cm (10ft)	350kg (55st)	Includes: (2 x AX15 + 1 x AJ4)
	<b>HR36</b>	360cm (12ft)	350kg (55st)	Includes: (2 x AX18 + 1 x AJ4)
	<b>HR42</b>	420cm (14ft)	300kg (47st)	Includes: (2 x AX21 + 1 x AJ4)
	<b>HR48</b>	480cm (16ft)	250kg (39st)	Includes: (2 x AX24 + 1 x AJ4)

# rampCENTRE<sup>®</sup> Aerolight<sup>®</sup> -High Rise

Aerolight<sup>®</sup>-Xtra combinations up to 16ft/4.8m long

Achieve incredible lengths and heights with lightweight, portable ramps



4 sizes




Up to 240cm (8ft) long



Up to 350kg capacity

A convenient, portable solution for multiple steps, combining the well-known benefits of the Aerolight<sup>®</sup>-Xtra with the ramp joining support (AJ4).


- Fully adjustable for any height and gradient
- Ramp joining support (AJ4) is also available separately




Aerolight<sup>®</sup>-Xtra (page 9)



AJ4 joining support



Aerolight<sup>®</sup>-Xtra (page 9)



Aerolight<sup>®</sup>-High Rise kit

Code	Includes	Length	Max Height at 1:8	Capacity
<b>Width: 76cm (30ins)</b> (excluding handles and joining support). Lip width 71.4cm (28.1ins)				
<b>HR30</b>	1 x AJ4, 2 x AX15	300cm (10ft)	37.5cm (15ins)	350kg (55st)
<b>HR36</b>	1 x AJ4, 2 x AX18	360cm (12ft)	45cm (18ins)	350kg (55st)
<b>HR42</b>	1 x AJ4, 2 x AX21	420cm (14ft)	52.5cm (21ins)	300kg (47st)
<b>HR48</b>	1 x AJ4, 2 x AX24	480cm (16ft)	60cm (24ins)	250kg (39st)

Code	Description	Height	Capacity	Weight
<b>AJ4</b>	Joining Support: includes easy-use handle fixings for height adjustment. Can be used with any Aerolight <sup>®</sup> ramps.	11-45cm (4-18ins)	350kg (55st)	4.7kg (10lbs)




# rampCENTRE® Aerolight® -Up&Over

Aerolight®-Xtra and threshold ramp combinations







The complete up-and-over solution for thresholds – great for uPVC thresholds

Aerolight® - Full-width portable ramps



The Aerolight®-Up&Over combines the versatile Aerolight®-Xtra with the innovative Doorline-Multi (DM5), providing everything needed for access up to and over the threshold.

- ▶ Versatile, quick and easy to deploy
- ▶ Solves most threshold types and heights
- ▶ Portable and easy to store
- ▶ Seamless transition right over the threshold



Aerolight®-Xtra (page 9)

Doorline-Multi (page 21)

Aerolight®-Up&Over kit

Code	Includes	External Ramp Length	Max Height at 1:8	Max. Recommended Internal Threshold Height	Capacity
UO12	1 x DM5, 1 x AX12	120cm (4ft)	15cm (6ins)	10cm (4ins)	300kg (47st)
UO15	1 x DM5, 1 x AX15	150cm (5ft)	19cm (7.5ins)	10cm (4ins)	300kg (47st)
UO18	1 x DM5, 1 x AX18	180cm (6ft)	23cm (9ins)	10cm (4ins)	300kg (47st)
UO21	1 x DM5, 1 x AX21	210cm (7ft)	26cm (10ins)	10cm (4ins)	300kg (47st)
UO24	1 x DM5, 1 x AX24	240cm (8ft)	30cm (11.8ins)	10cm (4ins)	250kg (39st)

For full product dimensions see individual component pages.



# rampCENTRE® Aerolight®-Classic

## Premium non-folding ramp

“It's very lightweight which means it can be taken up and stored away very easily, creating a very normal environment.”  
Kate Sheehan, Occupational Therapist

So easy - simply place and use!



Custom sizes available



4 sizes



Up to 150cm (5ft) long



Up to 400kg capacity

The Aerolight®-Classic is available in shorter lengths where the convenience of a folding product may not be needed.

- Great portable solution for thresholds, kerbs and steps
- Well suited for public access
- Extremely stable; perfect for ambulant users



Code	Length	Capacity	Weight
<b>Width: 76cm (30ins)</b> (excluding handles). Lip width 71.4cm (28.1ins).			
AC6	60cm (2ft)	400kg (63st)	4.3kg (9lbs)
AC9	90cm (3ft)	350kg (55st)	5.6kg (12lbs)
AC12	120cm (4ft)	350kg (55st)	7.1kg (16lbs)
AC15	150cm (5ft)	350kg (55st)	8.5kg (19lbs)



# rampCENTRE® Aerolight®-Lifestyle

## Premium multi-folding ramp

“This will be your one-stop-shop of a ramp.”  
Kate Sheehan,  
Occupational Therapist



Full-width safety and easy handling; great for out-and-about access and home use!



Safety hinges



Underside of ramp: halves lock together when in position



4 sizes




Up to 270cm (9ft) long



Up to 350kg capacity

The innovative Aerolight®-Lifestyle leads the pack in full-width scooter ramps. This unique ramp's two halves make it very light to carry and easy to store, yet so strong it can take a loaded scooter too!

- ▶ Safety hinges with pinch protection
- ▶ Highest strength-to-weight ratio scooter ramp available
- ▶ Two halves make it very light to carry and easy to store
- ▶ Easy vehicle loading



Code	Length	Capacity	Weight (Each Half)	Stored Dimensions L x W x D
<b>Width: 74cm (29ins)</b> (excluding handles). Lip width 69.6cm (27.4ins).				
AL18	180cm (6ft)	350kg (55st)	7.8kg (17lbs)	95 x 37 x 25cm (37 x 15 x 10ins)
AL21	210cm (7ft)	300kg (47st)	8.8kg (19lbs)	110 x 37 x 25cm (43 x 15 x 10ins)
AL24	240cm (8ft)	250kg (39st)	9.8kg (22lbs)	125 x 37 x 25cm (49 x 15 x 10ins)
AL27	270cm (9ft)	250kg (39st)	10.9kg (24lbs)	140 x 37 x 25cm (55 x 15 x 10ins)

Aerolight® - Full-width portable ramps




# rampCENTRE<sup>®</sup> Aerolight<sup>®</sup>-Broadfold

## Premium folding ramp

“The fact that you can approach it from different angles rather than just always having to go straight on means that it will be very useful in tight situations.”  
Thom, Wheelchair User

Quick, easy and safe to deploy; great for vehicle access



4 sizes



Up to 240cm (8ft) long



Up to 350kg capacity

A simple and effective scooter ramp, the Aerolight<sup>®</sup>-Broadfold folds to half-length for compact storage.

- ▶ Now with 4 rigid handles for safety and ease-of-use
- ▶ Easy vehicle loading - superb solution for taxi and minibus ramp applications
- ▶ Highest capacity broadfold ramp on the market
- ▶ So easy to deploy!
- ▶ Full-width lip locates firmly into vehicle



Code	Length	Capacity	Weight	Stored Dimensions L x W x D
<b>Width: 76cm (30ins)</b> (excluding handles). Lip width 71.4cm (28.1ins).				
<b>AB15</b>	150cm (5ft)	350kg (55st)	12.1kg (27lbs)	80 x 19 x 76cm (31 x 7 x 30ins)
<b>AB18</b>	180cm (6ft)	350kg (55st)	13.5kg (30lbs)	95 x 19 x 76cm (37 x 7 x 30ins)
<b>AB21</b>	210cm (7ft)	300kg (47st)	14.9kg (33lbs)	110 x 19 x 76cm (43 x 7 x 30ins)
<b>AB24</b>	240cm (8ft)	250kg (39st)	16.4kg (36lbs)	125 x 19 x 76cm (49 x 7 x 30ins)



# rampCENTRE<sup>®</sup> Aerolight<sup>®</sup>-Travel Ramp

Extremely compact and lightweight

A simple and ready-to-go solution



60cm (2ft) long

Up to 350kg capacity

The Aerolight-Travel Ramp is your quick and easy-to-use answer to out-and-about access.

- Just right for kerbs and steps
- Handy carry bag to fit on the back of the wheelchair or scooter
- Great for any mobility device
- Full-width anti-slip surface for safety

Brilliant for those out and about

SO COMPACT!

Code	Length	Weight	Capacity
Width: 77cm (30ins) (excluding handles). Lip width 71.4cm (28.1ins).			
AXT	60cm (2ft)	4.5kg (10lbs) (excluding bag)	350kg (55st)



# rampCENTRE<sup>®</sup>

## Aerolight<sup>®</sup>-Max

Commercial folding suitcase ramp


**NEW**

A rugged, multi-purpose version of the well proven Aerolight<sup>®</sup>-Xtra



Aerolight<sup>®</sup>-Max, an extra-tough version of the long-proven Aerolight-Xtra

- Designed and built in Britain for constant use in commercial and public access applications
- Even tougher ramp surface, well suited to trolley and flight case wheels if required
- High capacity construction to carry more substantial loads
- Utilises highly contrasting green and black colours for extra safety and visibility
- Other built-in benefits include extra ramp width and super-strong handles



Code	Length	Capacity	Weight	Stored Dimensions L x W x D
<b>Width: 79cm (31ins)</b> (excluding handles)				
<b>AXM06</b>	60cm (2ft)	475kg (75st)	6.4kg (14.1lbs)	60 x 40.5 x 8cm (24 x 15.9 x 3ins)
<b>AXM09</b>	90cm (3ft)	475kg (75st)	8.5kg (18.7lbs)	90 x 40.5 x 8cm (35 x 15.9 x 3ins)
<b>AXM12</b>	120cm (4ft)	425kg (67st)	10.6kg (23.3lbs)	120 x 40.5 x 8cm (47 x 15.9 x 3ins)
<b>AXM15</b>	150cm (5ft)	375kg (59st)	12.7kg (27.9lbs)	150 x 40.5 x 8cm (59 x 15.9 x 3ins)
<b>AXM18</b>	180cm (6ft)	375kg (59st)	14.8kg (32.6lbs)	180 x 40.5 x 8cm (71 x 15.9 x 3ins)
<b>AXM21</b>	210cm (7ft)	325kg (51st)	16.9kg (37.2lbs)	210 x 40.5 x 8cm (83 x 15.9 x 3ins)
<b>AXM24</b>	240cm (8ft)	275kg (43st)	19kg (41.8lbs)	240 x 40.5 x 8cm (98 x 15.9 x 3ins)



# rampCENTRE® Aerolight® - Accessories




**Aerolight® Wall Strap Kit Code: AWK**  
Quick-fit strap holds any Aerolight® ramp vertically against wall for tidy storage



**Aerolight® Joining Support Code: AJ4**  
Use to join 2 Aerolight ramps together (see page 10)



**Aerolight® Ramp Locating Peg Kit Code: ARLS**  
Can be fitted to any Aerolight® ramp to securely locate on upper step or in vehicle, etc. Kit includes two studs, drill bit and fixings. Underside of lip shown with locating studs.



**Doorline™-Multi Code: DM5, DM7**

Combine with the Aerolight ramps to access up to, over the threshold and into the building. (More information on page 21)



**Aerolight® Upright Storage Bracket Kit Code: ASBV**

Compact vertical storage for Aerolight-Xtra ramps. Comes with locking top section for extra security. (Max. 180cm ramp). Key provided



**Aerolight® Horizontal Storage Bracket Kit - Code: ASB**

Easy, ergonomic storage for Aerolight®-Classic and Xtra ramps (Padlock and key provided)



**Aerolight®-Connect Platform**

For use with Aerolight ramps – excellent for events, up to 42cm (16.5ins) high

**CP12** Aerolight-Connect platform 122 x 122cm c/w safety kerbs, doorplate, adjustable legs and rubber feet (no handrails)  
**CPHK** Single handrail kit for CP12

**Step Accessories - see page 54 Step Kits for Welcome® platforms**

**Additional Height Accessories - see page 52**

## Utilityramp™ Industrial/Commercial Portable Ramp

Rugged, yet easy-to-use and portable

- Great for mobility access or industrial use
- Unique Gripdeck™ highly anti-slip surface retains grip even when wet
- Up to 400kg weight capacity
- Standard 76cm wide or Superwide 90cm wide versions available




12 sizes



Up to 240cm (8ft) long



Up to 400kg capacity



Code	Length	Capacity	Weight
<b>Width: 76cm (30ins)</b>			
UR9*	90cm (3ft)	400kg (63st)	9kg (20lbs)
UR12*	120cm (4ft)	400kg (63st)	12.5kg (28lbs)
UR15	150cm (5ft)	400kg (63st)	15.5kg (34lbs)
UR18	180cm (6ft)	400kg (63st)	19kg (42lbs)
UR21	210cm (7ft)	350kg (55st)	22.5kg (50lbs)
UR24	240cm (8ft)	300kg (47st)	25.5kg (56lbs)

Code	Length	Capacity	Weight
<b>Width: 90cm (35ins)</b>			
URW9*	90cm (3ft)	400kg (63st)	10.5kg (23lbs)
URW12*	120cm (4ft)	400kg (63st)	14.5kg (32lbs)
URW15	150cm (5ft)	400kg (63st)	18.5kg (41lbs)
URW18	180cm (6ft)	400kg (63st)	22kg (49lbs)
URW21	210cm (7ft)	350kg (55st)	26kg (57lbs)
URW24	240cm (8ft)	300kg (47st)	30kg (66lbs)

\* No wheels. Kerb Height 7cm (3ins)

# rampCENTRE® Rollout-Trackway™

Saves expensive or invasive construction work and can be easily cleaned, rolled up and stored.  
Can be trimmed to length or to fit around steps, flower beds, downpipes, etc.

- ▶ Great for events and short-term uses, and can be left in place for long-term use
- ▶ Totally weather-resistant with full drainage - perfect for the unpredictable British weather!
- ▶ Extremely durable, and can cover grass, gravel and cobbles etc
- ▶ Four practical sizes means multiple pieces can be used for larger areas



## Rollout-Trackway™ 150cm

150cm (4ft 11ins)



## Rollout-Trackway™ 250cm

250cm (8ft 2ins)



## Rollout-Trackway™ 500cm

500cm (16ft 5ins)



## Rollout-Trackway Patio™

2 x 1.8m (6ft 7ins x 5ft 10ins)



## Rollout-Trackway™ Pegs





Instant access solution for grass, gravel, and other uneven surfaces



- Extremely durable, and can cover grass, gravel and cobbles, etc
- Four practical sizes means multiple pieces can be used for larger areas
- Completes your access route



**Rollout-Trackway™**

Code	Length	Weight
<b>Width: 90cm (35.4ins)</b>		
<b>RT15</b>	150cm (4ft 11ins)	12kg (26lbs)
<b>RT25</b>	250cm (8ft 2ins)	20kg (44lbs)
<b>RT50</b>	500cm (16ft 5ins)	40kg (88lbs)

**Rollout-Trackway Patio™**

Code	Size	Weight
<b>RTP20</b>	2m x 1.8m (6ft 7ins x 5ft 11ins)	32kg (71lbs)

**Rollout-Trackway™ Pegs**

- Heavy duty pegs for safely securing Rollout Trackway
- Convenient pack of 12



Code	Height	Width
<b>RTPEG</b>	20cm (8ins)	2.5cm (1ins)



# rampCENTRE<sup>®</sup> doorline<sup>™</sup>

Threshold ramps

Whatever the threshold, the Doorline range can cope

**Huge range** • **Adjustable options** • **Easy-to-use** • **Excellent finish**

- ▶ Great for overcoming door thresholds
- ▶ Very simple to deploy
- ▶ Can be used both sides of a door
- ▶ Removable and leave-in-place solutions available




**doorline<sup>™</sup>-multi** **21**  
Multiple-use uPVC door threshold ramps



**The Butterfly Ramp<sup>™</sup>** **22**  
Everyone's threshold bridge solution



**doorline<sup>™</sup>-threshold wedge** **24**  
Simple indoor/outdoor threshold solution



**doorline<sup>™</sup>-variwedge** **25**  
Adjustable-height aluminium wedge ramps



**doorline<sup>™</sup>-bridge** **26**  
Full-width bridge ramps




**doorline<sup>™</sup>-neatedge** **27**  
Versatile rubber wedge ramps



**doorline<sup>™</sup>-neatslope** **28**  
Low-height, flexible wedge ramps



**doorline<sup>™</sup>-custom** **29**  
Bespoke aluminium threshold ramps



**Build-a-Slope<sup>™</sup>** **29**  
Modular threshold ramp kits




# rampCENTRE<sup>®</sup> doorline™ - multi

Designed to overcome uPVC door thresholds

DM5 (in use with Welcome<sup>®</sup> System)

DM5 (in use with Aerolight<sup>®</sup>)



uPVC door threshold problems can easily be beaten with the innovative Doorline™-Multi. Available in two sizes, this unique product hooks securely on the threshold whilst spreading the weight and creating a strong edge nosing for any Aerolight<sup>®</sup> ramp needed for access from the outside. The result is a comfortable route all the way to the inside of the property.



## Your benefits:

- ▶ Unique lip design with rubber anti-slip to safely eliminate threshold damage
- ▶ Designed for use with our Aerolight<sup>®</sup> and Ultralight™ ramps to easily bridge any threshold
- ▶ Anodised finish for many years of service
- ▶ Extremely lightweight for quick and easy use, with full 300kg capacity
- ▶ Comfortable, foldaway, rattle-free handle



Registered Design

## Key Product Information

Code	Max Recom. Height	Length	Capacity	Weight
<b>Width: 70cm (27.6ins)</b>				
<b>DM5</b>	10cm (3.9ins)	56cm (22ins)	300kg (47st)	3.6kg (7.8lbs)
<b>DM7</b>	13cm (5.1ins)	74cm (29ins)	300kg (47st)	4.7kg (10.4lbs)



Underside of ramp

Unique lip design with anti-slip strip securely locates on the threshold and protects the door frame

doorline™ - versatile threshold ramps

# rampCENTRE® The Butterfly Ramp®



Everyone's threshold bridge solution




Up to 350kg capacity

Seen the video?

This unique and patented bridge ramp automatically adjusts as it is placed, and suits all threshold types, with no user adjustment required.

### Your benefits:

- ▶ So fast and easy to use and perfect for any mobility device
- ▶ Low profile design for a shallow and safe gradient
- ▶ Two convenient sizes to cover thresholds of up to 6" (15cm) high
- ▶ All-weather full-width anti-slip surface folds inside when carrying for extra safety, with integral comfort carrying handles
- ▶ Registered designs and patents granted



Code	Height Range		Overall Length	Capacity	Weight	Stored Dimensions L x H x D
	From	To				
<b>Width: 70cm (28ins)</b>						
DVBM	0cm	10cm (4ins)	90cm (36ins)	350kg (55st)	6.8kg (15lbs)	70 x 48 x 4cm (28 x 19 x 1.5ins)
DVBL	0cm	15cm (6ins)	120cm (48ins)	300kg (47st)	9.1kg (20lbs)	70 x 63 x 4cm (28 x 25 x 1.5ins)



SO COMPACT!

Built-in doorframe protection



Gripline™ floor grip and protection on both ends of the ramp removes the risk of movement while in use

Simply place, open and use in seconds!



Ideal for any door or threshold type



French doors



Sliding/patio door




uPVC threshold




Wood threshold



Stone threshold



Composite door



Internal threshold

doorline™ - versatile threshold ramps



# rampCENTRE® doorline™ - threshold wedge




Simple indoor and outdoor threshold solution



Easily fixed in place for extra security

### Your benefits:

- ▶ 6 popular sizes immediately available from stock
- ▶ Superb alternative to fibreglass wedge ramps
- ▶ Fully sanitisable and washable with pressure and heat
- ▶ Unique, robust and lighter weight design
- ▶ Excellent all-weather grip surface



Code	Height	Length	Capacity	Weight
<b>Width: 74cm (29ins)</b>				
<b>DTW1.5</b>	4cm (1.5ins)	20cm (7.8ins)	350kg (55st)	1.7kg (3.7lbs)
<b>DTW2</b>	5cm (2ins)	27cm (10.6ins)	350kg (55st)	2.3kg (5lbs)
<b>DTW3</b>	7.5cm (3ins)	40cm (15.7ins)	350kg (55st)	4.5kg (10lbs)
<b>DTW4</b>	10cm (4ins)	50cm (19.7ins)	350kg (55st)	5.5kg (12lbs)
<b>DTW5</b>	12.5cm (5ins)	70cm (27.6ins)	350kg (55st)	7.3kg (16lbs)
<b>DTW6</b>	15cm (6ins)	90cm (35.4ins)	350kg (55st)	9.2kg (20.2lbs)



# rampCENTRE<sup>®</sup> doorline™ - variwedge




Adjust height for any threshold up to 15cm (6")



Up to 350kg capacity

This adjustable-height wedge ramp will overcome almost any threshold! Leave in place for ultimate ease of use. 4 sizes: Small, Medium, Large and Extra-Large.



## Your benefits:

- ▶ Gripline™ floor grip and protection removes risk of movement while in use
- ▶ Match threshold height to within the thickness of a coin (adjusts in 5mm increments)
- ▶ Remove and readjust for re-use elsewhere
- ▶ Well-suited for indoor and outdoor use with extremely durable anodised finish
- ▶ Can be fixed in place for maximum stability and security




Assemble or adjust for re-use in less than a minute!



Easily fixed in place




No protruding legs to obstruct door swing



## Key Product Information

Code	Min Height	Max Height	Length	Capacity	Weight
<b>Width: 74cm (29.1ins)</b>					
<b>DVWS</b>	2cm (0.8ins)	3cm (1.2ins)	15cm (5.9ins)	350kg (55st)	1.5kg (3.3lbs)
<b>DVWM</b>	3.5cm (1.4ins)	5.5cm (2.2ins)	25cm (9.8ins)	350kg (55st)	2.5kg (5.5lbs)
<b>DVWL</b>	6cm (2.4ins)	10cm (3.9ins)	50cm (19.7ins)	350kg (55st)	5.3kg (11.7lbs)
<b>DVWXL</b>	10.5cm (4.1 ins)	15cm (5.9ins)	70cm (27.6ins)	350kg (55st)	7.2kg (15.8lbs)

# rampCENTRE® doorline™ - bridge




Unique safety/comfort carrying holes

Bridge awkward thresholds




Highly presentable and very practical, these bridge ramps are perfect for overcoming awkward thresholds - internal or external. Choose from 4 useful sizes.



**WIDE RANGE OF SIZES**

### Your benefits:

- ▶ Unmatched level of finish to prevent stains and corrosion, and provide years of use
- ▶ Unique comfortable carrying with safety/comfort eyelets on the finger holes
- ▶ Rubber strips to prevent slipping and protect floors
- ▶ Excellent grip surface
- ▶ Extremely lightweight and very quick to deploy




Rubber strips to prevent slipping and protect floor

### Key Product Information

Code	Height	Length	Capacity*	Weight
<b>Width: 70cm (27.6ins)</b>				
DB4	4cm (1.6ins)	48cm (18.9ins)	300kg (47st)	3kg (6.6lbs)
DB6	6cm (2.4ins)	56cm (22ins)	300kg (47st)	3.5kg (7.7lbs)
DB8	8cm (3.1ins)	72cm (28.3ins)	300kg (47st)	5.4kg (11.9lbs)
DB10	10cm (3.9ins)	97cm (38.2ins)	300kg (47st)	7.6kg (16.8lbs)

\*Capacity assumes ramp rests on threshold





# rampCENTRE<sup>®</sup> doorline™ - neatedge


Unobtrusive, strong and versatile rubber wedge ramps



Doorline™-Neatedge ramps are manufactured from weather-resistant rubber and their massive loading capacity lends itself to numerous uses. This range is specifically produced to a variety of practical heights and can be easily trimmed, cut or joined with DNF adhesive (see below).


## Your benefits:

- ▶ Extremely versatile - can be used in a huge number of situations
- ▶ Soft surface great for use in schools, care/nursing homes and for shower trays/washroom pods
- ▶ Incredible weight capacity - well suited for industrial use
- ▶ Doormat-like appearance blends in well
- ▶ Permanent fixing kit option



Chamfered edges allow easy access from any angle

## Neatedge



## Key Product Information

Code	Height	Length	Capacity	Weight
<b>Width: 90cm (35ins)</b>				
DN15-9	1.5cm (0.6ins)	12cm (4.5ins)	500kg (79st)	1.4kg (3lbs)
DN25-9	2.5cm (1ins)	20cm (8ins)	500kg (79st)	3.1kg (6.8lbs)
DN35-9	3.5cm (1.4ins)	28cm (11ins)	500kg (79st)	5.9kg (13lbs)
DN50-9	5cm (2ins)	40cm (16ins)	500kg (79st)	11kg (24.3lbs)
DN75-9	7.5cm (3ins)	60cm (24ins)	500kg (79st)	18kg (39.7lbs)
DN100-9	10cm (4ins)	80cm (31.5in)	500kg (79st)	31kg (68.3lbs)
DN125-9	12.5cm (5ins)	100cm (39.4ins)	500kg (79st)	51kg (112.4lbs)
DNF	Adhesive for permanent fixing (290ml), including application gun			

Can be trimmed or cut to size as required.



DN50-9 (x2)

doorline™ - versatile threshold ramps


# rampCENTRE<sup>®</sup> doorline™ - neatslope

Eliminate low threshold trip hazards!




Up to 350kg capacity

This versatile product is the simple answer to those small internal level changes such as tiles or threshold strips.



## Your benefits:


- Available in 3 useful heights
- Easy to trim if required
- Available with or without self-adhesive backing



## Key Product Information

Code	Height	Length	Capacity	Weight	Self Adhesive Y/N	
<b>Width: 90cm (35.4ins)</b>						
DNS6	0.6cm (0.25ins)	6cm (2.4ins)	350kg (55st)	0.3kg (0.7lbs)	N	
DNS10	1cm (0.4ins)	10cm (3.9ins)	350kg (55st)	0.75kg (1.7lbs)	N	
DNS16	1.6cm (0.6ins)	15cm (5.9ins)	350kg (55st)	1kg (2.2lbs)	N	
With self-adhesive backing	DNS6A	0.6cm (0.25ins)	6cm (2.4ins)	350kg (55st)	0.3kg (0.7lbs)	Y
	DNS10A	1cm (0.4ins)	10cm (3.9ins)	350kg (55st)	0.75kg (1.7lbs)	Y
	DNS16A	1.6cm (0.6ins)	15cm (5.9ins)	350kg (55st)	1kg (2.2lbs)	Y


Optional self-adhesive backing (underneath ramp)





# rampCENTRE<sup>®</sup> doorline™ - custom

“Specially made to your specifications”



These ramps are individually manufactured to your specified sizes. Choose from 8 styles for the very few applications our stock products cannot solve.

**Your benefits:**

- ▶ No installation required
- ▶ Full 300kg (47st) capacity
- ▶ Excellent all-weather grip surface
- ▶ Aluminium 'never-rust' construction



# rampCENTRE<sup>®</sup> Build-a-Slope™




## “Totally modular threshold ramp”

These modular kits make it possible to build a tailor-made ramp for your threshold.

**Your benefits:**

- ▶ Easily configured for any application
- ▶ Totally weatherproof
- ▶ Quick to assemble and install
- ▶ Choose from 4 popular kits
- ▶ Other sizes and special pieces are also available
- ▶ Compatible with other brands



**Key Product Information**

Code	Min. Height	Max. Height	Length	Capacity	Weight
<b>Width: 75cm (29.5ins)</b>					
<b>BSK1</b>	1.8cm (0.7ins)	5.5cm (2.2ins)	25cm (10ins)	450kg (71st)	0.85kg (1.9lbs)
<b>BSK2</b>	3.6cm (1.4ins)	9.1cm (3.6ins)	50cm (20ins)	450kg (71st)	3.4kg (7.5lbs)
<b>BSK3</b>	7.2cm (2.8ins)	12.7cm (5ins)	75cm (30ins)	450kg (71st)	7.6kg (16.8lbs)
<b>BSK4</b>	10.8cm (4.3ins)	16.3cm (6.4ins)	100cm (39ins)	450kg (71st)	13.5kg (29.8lbs)



doorline™ - versatile threshold ramps

# rampCENTRE<sup>®</sup> ultralight<sup>™</sup> Channel ramps



Exceptionally well crafted in anodised aluminium, the Ultralight original perforated channel ramps offer an outstanding combination of compact storage and ease of use.

**Anodised for durability • Unique built-in grip surface • Foldaway handles**

- Ideal for narrow doorways
- Commonly used for residential and vehicle access
- Great for standard wheelchairs and four-wheel scooters

- Very compact for storage
- Extremely portable
- Excellent for cross-slopes



## ultralight<sup>™</sup>-folding

Lightweight folding channel ramps


31



## ultralight<sup>™</sup>-telescopic

Lightweight telescopic channel ramps

32



## ultralight<sup>™</sup>-combi

Lightweight combined telescopic and folding channel ramps

33



# rampCENTRE<sup>®</sup> ultralight™ -folding



PF11




Up to 200cm (7ft) long




Up to 400kg capacity



Choose from a range of 4 sizes for a quick and easy-to-deploy problem solver



Ultra-strong steel hinge



## Your benefits:

- Can be used to bridge thresholds
- Ramp folds in half for compact storage
- Low kerbs and long bevel sides greatly increase clearance for scooters and power chairs

Also available in a low profile version, great for smaller/lower ground clearance scooters. **(PFE20)**

## Key Product Information

Code (Pair)	Length	Capacity (Pair)	Weight (Each Half)	Stored Dimensions L x W x D
<b>Width (Internal Channel): 21cm (8ins)</b> Kerb Height: 5cm (2ins)				
PF11	110cm (3ft 7ins)	400kg (63st)	3.6kg (8lbs)	55 x 24.5 x 13cm (22 x 10 x 5ins)
PF15	150cm (4ft 11ins)	400kg (63st)	4.6kg (11lbs)	77 x 24.5 x 13cm (30 x 10 x 5ins)
PF20	200cm (6ft 7ins)	350kg (55st)	6kg (14lbs)	102 x 24.5 x 13cm (40 x 10 x 5ins)
<b>Width (Internal Channel): 18cm (7ins)</b> Kerb Height: 3.5cm (1.4ins)				
PFE20	200cm (6ft 7ins)	300kg (47st)	5.8kg (12.8lbs)	104cm x 22.5cm x 10cm (41 x 9 x 4ins)

ultralight™ - compact lightweight channel ramps


# rampCENTRE<sup>®</sup> ultralight™ - telescopic





Unlimited adjustability

 Up to 288cm (9ft) long

 Up to 400kg capacity



The most adjustable ramp in the range, these ramps extend up to nearly 3m, yet are extremely compact for easy storage in a vehicle. Available in 2 or 3 section versions to suit your storage requirements.



### Your benefits:

- ▶ Versatile ramps that can be used at any length, even partly extended
- ▶ Extremely compact storage
- ▶ Ideal for vehicle access
- ▶ Uniquely high capacity and generous channel widths
- ▶ The two halves can be used at different lengths from each other - great for cross-slopes!

Silent telescopic mechanism with neat safety clip to prevent opening when stored

### Key Product Information

Code (Pair)	Length		Capacity (Pair)	Weight (Each Half)	Stored Dimensions L x W x D
	Max	Min			
<b>Width (Internal Channel): 19cm (8ins) Kerb Height: 5cm (2ins)</b>					
PT12-2	120cm (3ft 11ins)	75cm (2ft 5ins)	400kg (63st)	3.6kg (8lbs)	75 x 24.5 x 6cm (29 x 10 x 2ins)
PT20-2	202cm (6ft 8ins)	117cm (3ft 10ins)	350kg (55st)	5.8kg (13lbs)	117 x 24.5 x 6cm (46 x 10 x 2ins)
<b>Width (Internal Channel): 18cm (7ins) Kerb Height: 5cm (2ins)</b>					
PT20-3	199cm (6ft 6ins)	87cm (2ft 10ins)	350kg (55st)	6.1kg (14lbs)	87 x 24.5 x 7cm (31 x 10 x 3ins)
PT29-3	288cm (9ft 5ins)	117cm (3ft 10ins)	300kg (47st)	8.2kg (18lbs)	117 x 24.5 x 7cm (46 x 10 x 3ins)




# rampCENTRE<sup>®</sup> ultralight™ -combi

PC21-3



Amazing versatility for straight or up-and-over use

PC28-3



Up to 294cm (10ft) long

Up to 350kg capacity

This unique product is both folding and telescopic, making it one of the most versatile ramps on the market. Also available in an even wider channel option.



PCW28-3



## Your benefits:

- Low kerbs and long bevel sides greatly increase clearance for scooters and power chairs
- Wide channels as standard, with extra-width options for larger mobility devices (see PCW codes)
- Good choice for bridging a threshold with unequal levels each side
- Seriously lightweight, and incredibly compact for storage and stowing in a vehicle
- One solution for many applications



Low kerbs and long bevel sides greatly increase clearance for scooters and power chairs

## Key Product Information

Code (Pair)	Length				Capacity (Pair)	Weight (Each Half)	Stored Dimensions L x W x D
	Max	Min	Telescopic Section	Hinged Section			
<b>Width (Internal Channel): 19cm (8ins)</b> Kerb Height: 5cm (2ins)							
PC21-3	207cm (6ft 9ins)	150cm (4ft 11ins)	132cm (52ins)	75cm (30ins)	350kg (55st)	6.5kg (14lbs)	76 x 23.5 x 13cm (30 x 9 x 5ins)
PC28-3	276cm (9ft 1ins)	200cm (6ft 7ins)	176cm (69ins)	100cm (39ins)	300kg (47st)	8.4kg (19lbs)	102 x 23.5 x 13cm (40 x 9 x 5ins)
<b>Width (Internal Channel): 25cm (10ins)</b> Kerb Height: 5cm (2ins)							
PCW21-3	204cm (6ft 8ins)	152cm (5ft)	128cm (50ins)	76cm (30ins)	350kg (55st)	8.2kg (18lbs)	78 x 29.2 x 13cm (31 x 11 x 5ins)
PCW28-3	294cm (9ft 8ins)	212cm (6ft 11ins)	188cm (74ins)	106cm (42ins)	300kg (47st)	10.9kg (24lbs)	108 x 29.2 x 13cm (43 x 11 x 5ins)

Extra Width

ultralight™ - compact lightweight channel ramps

# rampCENTRE® permaramp®

Relocatable external ramps



A concept that totally transforms wheelchair access, the Permaramp range is designed to be easily adjusted and fixed down or left in place for every type of threshold.


**Cut-away kerbs • Easy installation • Extremely durable**

- ▶ Great for semi-permanent access
- ▶ Avoid big installation projects and construction mess
- ▶ Can be left in place as long as required, then re-used elsewhere
- ▶ Quick and strong access solutions
- ▶ Unique Gripdeck™ surface for incredible grip and sustained outside use



**permaramp®-original**  
Single piece semi-permanent ramps

**35**



**permaramp®-original superwide**  
Superwide single piece semi-permanent ramps

**35**




**permaramp®-adjust**  
Adjustable-height semi-permanent ramps

**36**



**permaramp®-adjust superwide**  
Superwide adjustable-height semi-permanent ramps

**36**



**permaramp®-entry flap**  
Integral hinged threshold bridge accessory

**37**



**permaramp®-quickrails**  
Instant, fixed ramp solution with handrails

**38**



**permaramp®-High Rise**  
Reach double the height

**40**



# rampCENTRE® permaramp® - original




Instant fixed ramp solution available in 2 widths and 6 lengths



Up to 400kg capacity



These semi-permanent relocatable ramps provide unmatched value and weight capacity.



## Your benefits:

- ▶ Excellent for wooden door thresholds
- ▶ Available in standard 76cm width, or Superwide 90cm width (perfect for single outward-opening doors and a great bariatric ramp solution)
- ▶ Well suited for scooters, mobility devices and sports wheelchairs
- ▶ Fixing options at top and bottom for secure location
- ▶ Up to 400kg capacity

## Key Product Information

### Permaramp-Original

Code	Length	Capacity	Weight
<b>Width: 76cm (30ins)</b>			
PO9	90cm (3ft)	400kg (63st)	8.5kg (19lbs)
PO12	120cm (4ft)	400kg (63st)	12kg (26lbs)
PO15	150cm (5ft)	400kg (63st)	15kg (33lbs)
PO18	180cm (6ft)	400kg (63st)	18.5kg (41lbs)
PO21	210cm (7ft)	350kg (55st)	22kg (49lbs)
PO24	240cm (8ft)	300kg (47st)	25kg (55lbs)

High Rise Kits (See P40)

POHR30	300cm (10ft)	400kg (63st)	(2 x PO15 + 1 x POHRJ)
POHR36	360cm (12ft)	400kg (63st)	(2 x PO18 + 1 x POHRJ)
POHR42	420cm (14ft)	350kg (55st)	(2 x PO21 + 1 x POHRJ)
POHR48	480cm (16ft)	300kg (47st)	(2 x PO24 + 1 x POHRJ)

High Rise Kits (See P40)

### Permaramp-Original SUPERWIDE

Code	Length	Capacity	Weight
<b>Width: 90cm (36ins)</b>			
POW9	90cm (3ft)	400kg (63st)	10kg (22lbs)
POW12	120cm (4ft)	400kg (63st)	14kg (31lbs)
POW15	150cm (5ft)	400kg (63st)	18kg (40lbs)
POW18	180cm (6ft)	400kg (63st)	22kg (48lbs)
POW21	210cm (7ft)	350kg (55st)	26kg (58lbs)
POW24	240cm (8ft)	300kg (47st)	30kg (65lbs)

POWHR30	300cm (10ft)	400kg (63st)	(2 x POW15 + 1 x POWHRJ)
POWHR36	360cm (12ft)	400kg (63st)	(2 x POW18 + 1 x POWHRJ)
POWHR42	420cm (14ft)	350kg (55st)	(2 x POW21 + 1 x POWHRJ)
POWHR48	480cm (16ft)	300kg (47st)	(2 x POW24 + 1 x POWHRJ)

# rampCENTRE® permaramp®-adjust




Totally adjustable and self-supporting, great for uPVC thresholds

PA15

PA15 with DTW2



This unique self-supporting product requires no fixing to the threshold and eliminates threshold damage.



7.5cm (3ins) to 26cm (10.3ins)



## Your benefits:

- ▶ Easy height adjustment and installation from above
- ▶ Designed to clear protruding thresholds and sills
- ▶ Fix to any firm flat or sloping surface
- ▶ Telescopic legs can be adjusted to accommodate different threshold types and give total height adjustment from 7.5cm (3ins) to 26cm (10.3ins) high
- ▶ Entry flap accessory available to transition right into the property (see page 37)
- ▶ All lengths available in Superwide 90cm option: a great bariatric ramp solution. Perfect for single outward-opening doors and extra-wide mobility devices



Outward-opening doors

## Key Product Information

### Permaramp-adjust

Code	Length	Capacity	Weight
<b>Width: 76cm (30ins)</b>			
PA9	90cm (3ft)	400kg (63st)	12.5kg (28lbs)
PA12	120cm (4ft)	400kg (63st)	16kg (35lbs)
PA15	150cm (5ft)	400kg (63st)	19kg (42lbs)
PA18	180cm (6ft)	400kg (63st)	22.5kg (50lbs)
PA21	210cm (7ft)	350kg (55st)	26kg (57lbs)
PA24	240cm (8ft)	300kg (47st)	29kg (64lbs)

High Rise Kits (See P40)

PAHR30	300cm (10ft)	400kg (63st)	(1 x PO15 + 1 x PA15 + 1 x POHRJ)
PAHR36	360cm (12ft)	400kg (63st)	(1 x PO18 + 1 x PA18 + 1 x POHRJ)
PAHR42	420cm (14ft)	350kg (55st)	(1 x PO21 + 1 x PA21 + 1 x POHRJ)
PAHR48	480cm (16ft)	300kg (47st)	(1 x PO24 + 1 x PA24 + 1 x POHRJ)

### Permaramp-adjust SUPERWIDE

Code	Length	Capacity	Weight
<b>Width: 90cm (36ins)</b>			
PAW9	90cm (3ft)	400kg (63st)	14kg (22lbs)
PAW12	120cm (4ft)	400kg (63st)	18kg (40lbs)
PAW15	150cm (5ft)	400kg (63st)	22kg (48lbs)
PAW18	180cm (6ft)	400kg (63st)	26kg (57lbs)
PAW21	210cm (7ft)	350kg (55st)	30kg (66lbs)
PAW24	240cm (8ft)	300kg (47st)	34kg (75lbs)

High Rise Kits (See P40)

PAWHR30	300cm (10ft)	400kg (63st)	(1 x POW15 + 1 x PAW15 + 1 x POWHRJ)
PAWHR36	360cm (12ft)	400kg (63st)	(1 x POW18 + 1 x PAW18 + 1 x POWHRJ)
PAWHR42	420cm (14ft)	350kg (55st)	(1 x POW21 + 1 x PAW21 + 1 x POWHRJ)
PAWHR48	480cm (16ft)	300kg (47st)	(1 x POW24 + 1 x PAW24 + 1 x POWHRJ)



# rampCENTRE® permaramp®-entry flap



The ultimate semi-permanent uPVC threshold bridging accessory



This bridging flap accessory for the permaramp®-adjust means that you can have a ramp fixed in place outside, with a flap ramp that comes over and down to the inside of the threshold, giving a smooth transition all the way into the property.

#### Your benefits:

- ▶ Hand strap for fast and easy operation
- ▶ Excellent for sliding and inward-opening doors
- ▶ Unique Gripdeck™ surface on both sides



Code	Length	Capacity	Weight
------	--------	----------	--------

Width: 72cm (28.3ins)

PE5	45cm (18ins)	300kg (47st)	4.8kg (10.6lbs)
-----	--------------	--------------	-----------------

NOTE: Only for use with standard-width permaramp-adjust, ordered separately

permaramp® - relocatable external ramps

# permaramp®-quickrails™

The permaramp®-quickrails™ are your answer for an instant, fixed ramp solution with handrails.

This unique range is designed to be extremely universal and easy to fit.

## Pre-assembled handrails

- One side, both sides (or no sides!)
- Interchangeable left or right
- Easy retrofit solution
- 4 colour options



### Choose from

**permaramp®-adjust** totally adjustable and self-supporting, great for uPVC thresholds **or**

**permaramp®-original** for fixing straight to the threshold, ideal for wooden door thresholds

## Factory-fitted handrail sockets

**Super-fast and convenient assembly!**

No-Tools assembly kit option



### 2 widths

- 76cm (30ins)
- 90cm (36ins) Superwide

### 5 lengths

- 120cm (4ft)
- 150cm (5ft)
- 180cm (6ft)
- 210cm (7ft)
- 240cm (8ft)



Seen the video?







## permaramp® with quickrails™

Length	permaramp® - original		permaramp® - adjust		Length	permaramp® - original		permaramp® - adjust		
	Both Sides	One Side (FIT LEFT OR RIGHT)	Both Sides	One Side (FIT LEFT OR RIGHT)		Both Sides	One Side (FIT LEFT OR RIGHT)	Both Sides	One Side (FIT LEFT OR RIGHT)	
<b>Width: 76cm (30ins)</b>										
120cm (4ft)	PO12R2	PO12R1	PA12R2	PA12R1	120cm (4ft)	POW12R2	POW12R1	PAW12R2	PAW12R1	
150cm (5ft)	PO15R2	PO15R1	PA15R2	PA15R1	150cm (5ft)	POW15R2	POW15R1	PAW15R2	PAW15R1	
180cm (6ft)	PO18R2	PO18R1	PA18R2	PA18R1	180cm (6ft)	POW18R2	POW18R1	PAW18R2	PAW18R1	
210cm (7ft)	PO21R2	PO21R1	PA21R2	PA21R1	210cm (7ft)	POW21R2	POW21R1	PAW21R2	PAW21R1	
240cm (8ft)	PO24R2	PO24R1	PA24R2	PA24R1	240cm (8ft)	POW24R2	POW24R1	PAW24R2	PAW24R1	
<b>High Rise Kits</b> (See P40)	300cm (10ft)	POHR30R2	POHR30R1	PAHR30R2	PAHR30R1	300cm (10ft)	POWHR30R2	POWHR30R1	PAWHR30R2	PAWHR30R1
	360cm (12ft)	POHR36R2	POHR36R1	PAHR36R2	PAHR36R1	360cm (12ft)	POWHR36R2	POWHR36R1	PAWHR36R2	PAWHR36R1
	420cm (14ft)	POHR42R2	POHR42R1	PAHR42R2	PAHR42R1	420cm (14ft)	POWHR42R2	POWHR42R1	PAWHR42R2	PAWHR42R1
	480cm (16ft)	POHR48R2	POHR48R1	PAHR48R2	PAHR48R1	480cm (16ft)	POWHR48R2	POWHR48R1	PAWHR48R2	PAWHR48R1

Permaramp-adjust leg height 7.5cm (3ins) to 26cm (10.3ins) - see page 36 for more information. For ramp weights and capacities see pages 35-36

## Handrail Colour Options

Add suffix to above codes for colour option if required

Colours		Code Suffix
Original Graphite		No suffix
Original Graphite with Safety Yellow handrails		-Y
Garden Green		-G
Heritage Brown		-B

## Permaramp®-quickrails™ dimensions:

- Add 12.5cm (5ins) to the ramp width each side the Quickrails are added
- The Quickrail length is the same as the ramp length and can be adjusted if required
- Handrail height is 92cm (36ins)
- The handrails uprights are 45cm (18ins) from each end of the ramp

- Ask for more information about:**
- Retrofitting permaramp®-quickrails™
  - Options for increased capacity
  - 'Portable' type applications for events, etc.

## Accessories


### permaramp®-quickrails™ No-Tool Kit

Code (for one side): **PRNTK**



### permaramp®-entry flap

For standard-width permaramp®-adjust  
Code: **PE5** - see page 37



# rampCENTRE® permaramp®-High Rise

Reach double the height!

**NEW**



Up to 400kg capacity



300cm - 480cm long  
(10ft - 16ft)



Install the Permaramp®-High Rise in as little as 30 minutes!  
Easy to specify, and quick to fit, this ramp has all the Permaramp® benefits, and more. A straightforward and compact solution that reaches greater heights for lower cost avoiding disruptive building work and lengthy installs.

### Your benefits:

- ▶ Reach from 300cm to 480cm (10ft to 16ft) with relocatable ramps
- ▶ Extremely quick and easy to install
- ▶ Compatible with Superwide, Adjust, and Original Permaramp® options
- ▶ Bridge uPVC thresholds with the entry flap accessory (page 37)





# High Rise - Kit Options



## Tailor the High Rise kit to suit your application needs

- ▶ Quickrail handrails for enhanced safety and support
- ▶ Superwide width option for wider mobility requirements
- ▶ Self-supporting Permaramp®-adjust for uPVC thresholds
- ▶ Install from 1:15 to 1:6 gradient (See page 5 'How steep')

**permaramp®-High Rise with quickrails™** - see pages 38-39

permaramp®-original		
Length	Both Sides	One Side (FIT LEFT OR RIGHT)

### Width: 76cm (30ins)

300cm (10ft)	<b>POHR30R2</b>	<b>POHR30R1</b>
360cm (12ft)	<b>POHR36R2</b>	<b>POHR36R1</b>
420cm (14ft)	<b>POHR42R2</b>	<b>POHR42R1</b>
480cm (16ft)	<b>POHR48R2</b>	<b>POHR48R1</b>

### Width: 90cm (36ins) SUPERWIDE

300cm (10ft)	<b>POWHR30R2</b>	<b>POWHR30R1</b>
360cm (12ft)	<b>POWHR36R2</b>	<b>POWHR36R1</b>
420cm (14ft)	<b>POWHR42R2</b>	<b>POWHR42R1</b>
480cm (16ft)	<b>POWHR48R2</b>	<b>POWHR48R1</b>

permaramp®-adjust		
Length	Both Sides	One Side (FIT LEFT OR RIGHT)

### Width: 76cm (30ins)

300cm (10ft)	<b>PAHR30R2</b>	<b>PAHR30R1</b>
360cm (12ft)	<b>PAHR36R2</b>	<b>PAHR36R1</b>
420cm (14ft)	<b>PAHR42R2</b>	<b>PAHR42R1</b>
480cm (16ft)	<b>PAHR48R2</b>	<b>PAHR48R1</b>

### Width: 90cm (36ins) SUPERWIDE

300cm (10ft)	<b>PAWHR30R2</b>	<b>PAWHR30R1</b>
360cm (12ft)	<b>PAWHR36R2</b>	<b>PAWHR36R1</b>
420cm (14ft)	<b>PAWHR42R2</b>	<b>PAWHR42R1</b>
480cm (16ft)	<b>PAWHR48R2</b>	<b>PAWHR48R1</b>

Permaramp-adjust leg height 7.5cm (3ins) to 26cm (10.3ins) - see page 36 for more information

## permaramp®-High Rise (without quickrails™) - see pages 35 - 36

permaramp®-original			
Code	Length	Capacity	Includes

### Width: 76cm (30ins)

<b>POHR30</b>	300cm (10ft)	400kg (63st)	(2 x PO15 + 1 x POHRJ)
<b>POHR36</b>	360cm (12ft)	400kg (63st)	(2 x PO18 + 1 x POHRJ)
<b>POHR42</b>	420cm (14ft)	350kg (55st)	(2 x PO21 + 1 x POHRJ)
<b>POHR48</b>	480cm (16ft)	300kg (47st)	(2 x PO24 + 1 x POHRJ)

### Width: 90cm (36ins) SUPERWIDE

<b>POWHR30</b>	300cm (10ft)	400kg (63st)	(2 x POW15 + 1 x POWHRJ)
<b>POWHR36</b>	360cm (12ft)	400kg (63st)	(2 x POW18 + 1 x POWHRJ)
<b>POWHR42</b>	420cm (14ft)	350kg (55st)	(2 x POW21 + 1 x POWHRJ)
<b>POWHR48</b>	480cm (16ft)	300kg (47st)	(2 x POW24 + 1 x POWHRJ)

permaramp®-adjust			
Code	Length	Capacity	Includes

### Width: 76cm (30ins)

<b>PAHR30</b>	300cm (10ft)	400kg (63st)	(1 x PO15 + 1 x PA15 + 1 x POHRJ)
<b>PAHR36</b>	360cm (12ft)	400kg (63st)	(1 x PO18 + 1 x PA18 + 1 x POHRJ)
<b>PAHR42</b>	420cm (14ft)	350kg (55st)	(1 x PO21 + 1 x PA21 + 1 x POHRJ)
<b>PAHR48</b>	480cm (16ft)	300kg (47st)	(1 x PO24 + 1 x PA24 + 1 x POHRJ)

### Width: 90cm (36ins) SUPERWIDE

<b>PAWHR30</b>	300cm (10ft)	400kg (63st)	(1 x POW15 + 1 x PAW15 + 1 x POWHRJ)
<b>PAWHR36</b>	360cm (12ft)	400kg (63st)	(1 x POW18 + 1 x PAW18 + 1 x POWHRJ)
<b>PAWHR42</b>	420cm (14ft)	350kg (55st)	(1 x POW21 + 1 x PAW21 + 1 x POWHRJ)
<b>PAWHR48</b>	480cm (16ft)	300kg (47st)	(1 x POW24 + 1 x PAW24 + 1 x POWHRJ)

Permaramp-adjust height 7.5cm (3ins) to 25cm (10ins) - See page 36 for more information

## Accessories

Permaramp®-High Rise Joiner*	<b>POHRJ</b>	
Permaramp®-High Rise Joiner SUPERWIDE*	<b>POWHRJ</b>	
Permaramp®-High Rise Quickrail Connector*	<b>POHRQJ</b>	
Rubber foot accessory for indoor use (pair)	<b>WRIF</b>	
Soft-ground leg bearer For grass, flower beds, gravel etc	Long: 15 x 3.8 x 120cm (6 x 1.6 x 48ins)	<b>WRLB</b>
	Short: 15 x 3.8 x 30cm (6 x 1.6 x 12ins)	<b>WRLBS</b>

\*Included in High Rise kits

# rampCENTRE® Welcome®-Giant Half-Step

Until now, the traditional half-step simply offered an ambulant user shallower step access.

The proven Welcome®-Giant Half-Step reaches a new level!  
This unique and modular range takes into account that people with various walking challenges need more workable solutions.




Uses

**43**



Features and benefits

**44**



Kits

**45**



Accessories

**45**



# 3 challenges solved...

## Even More User Benefits

- Safely pause at the door
- All door types including uPVC
- No building work required


### 1. Safe and Manageable Step Heights

A single Welcome®-Giant Half-Step will instantly create a safe and manageable step for thresholds up to 30cm (12ins) high. Add handrails and other accessories as required for the specific user and application.



### 2. Eliminate the Trip Risk of Raised Threshold Obstacles

Unlike any other, the Welcome®-Giant Half-Step can be installed level with the top of the threshold and an optional doorplate accessory used to create a flush transition with no unsafe gaps or 'step-over' obstacle risk. This especially improves access for those with limited leg/knee mobility, drop foot or shuffling gait. The user simply steps up or steps down, rather than risking negotiating up and over the raised threshold.




### 3. Instant, Safe Handrails


The multiple benefits of the Welcome®-Giant Half-Step solution include providing safe and instant handrails wherever required. This is perfect for situations where attaching permanent grab rails or handrails to a property is not practical. It also removes the risk of falls from leaning over the step to reach a wall-fixed grab rail. The doorplate accessory is a great solution for curved or rounded steps.




### 3 sizes... MIDI



### LARGE



### EXTRA-LARGE



Welcome® - Giant Half-Step

# rampCENTRE® Welcome®-Giant Half-Step



### Unique Optional Doorplate Accessory

Allows the step to be set flush with the top of the threshold, and eliminates the gap between the step and threshold



### Join Half-Steps

Higher thresholds can now be made safe and manageable for those with walking difficulties, simply by adding multiple shallow steps



### Height-Extension Legs

Enables a greater range of single and double step options

### Foot Options

Rubber feet and fix-down feet (required when using handrails) now supplied with every step as standard



### Integral Safety Kerb with Every Handrail

Ensures feet or walking devices can't stray off the edge



### Safety Toe-Plate

With every Half-Step, to reduce the risk and eliminate the danger of feet getting caught underneath the step

## With or Without?

### Useful Accessory Options - So Easy to Choose and Use!

- Handrails - none, one side, or both sides
- Product kits for easy ordering




Up to 400kg capacity










Seen the video?





Specifications	MIDI	LARGE	EXTRA-LARGE
 <p><b>Giant Half-Step</b> With 75cm anti-trip toe-plate, rubber and fix-down feet; Height range: 8 - 15cm (3.1 - 6ins)</p>	 <p>75cm (30ins) 45cm (18ins)</p>	 <p>75cm (30ins) 60cm (24ins)</p>	 <p>75cm (30ins) 90cm (36ins)</p>
<b>Ambulant</b>	✓	✓	✓
<b>Limited Knee/Leg Mobility</b>	-	✓	✓
<b>Walking-Frame</b>	-	✓	✓
<b>Rollator</b>	-	-	✓
<b>Limited Space</b>	✓	✓	-
<b>Outward-opening Doors</b>	-	-	✓
<b>Capacity</b>	400kg (63st)	400kg (63st)	400kg (63st)
<b>Code</b>	<b>WHSM</b>	<b>WHSL</b>	<b>WHSXL</b>

KITS FOR EASY ORDERING	MIDI	LARGE	EXTRA-LARGE
 <p><b>Giant Half-Step Kit</b> Giant Half-Step Kit with handrail; height range: 8 - 15cm (3.1 - 6ins)</p>	<b>WHSMR</b> Includes: WHSM WHS45	<b>WHSLR</b> Includes: WHSL WHS60	<b>WHSXLR</b> Includes: WHSXL WHS90
 <p><b>Double Giant Half-Step Kit</b> Double Giant Half-Step kit with handrails; height up to 20cm (8ins) (includes height-extension and handrail joining kits)</p>	<b>WHSM2R</b> Includes: 2 x WHSM 2 x WHS45 WHSRJK WHSLXK	<b>WHSL2R</b> Includes: 2 x WHSL 2 x WHS60 WHSRJK WHSLXK	<b>WHSXL2R</b> Includes: 2 x WHSXL 2 x WHS90 WHSRJK WHSLXK

ACCESSORIES	MIDI	LARGE	EXTRA-LARGE
 <p><b>Handrail</b> With integral safety kerbs. Fit to one side or opposite sides. Universal height: 90cm (36ins)</p>	<b>WHS45</b> 45cm (18ins)	<b>WHS60</b> 60cm (24ins)	<b>WHS75</b> 75cm (30ins) <b>WHS90</b> 90cm (36ins)
 <p><b>90cm Anti-Trip Toe-Plate</b> Provides additional trip protection on the long (90cm) Extra-Large Half-Step sides</p>			<b>WHSTP90</b>
 <p><b>Doorplate</b> Closes the gap between the Giant Half-Step and the door frame; self-supporting for uPVC frames</p>			<b>WHSDP75</b> 75cm (30ins)
 <p><b>Height-Extension Kit</b> Extend any Giant Half-Step up to 20cm (8ins) high. Useful for 'building over' existing steps</p>			<b>WHSLXK</b>
 <p><b>Handrail Joiner Kit</b> Join handrails of any two or more adjacent half-steps (2 pieces)</p>			<b>WHSRJK</b>

All Welcome®-Giant Half-Steps are supplied with our easy-to-follow instruction manual. For further application and assembly support, call us on 020 8275 0375.

## Welcome to the all-new Made in Britain Welcome®!

- ▶ Versatile independent access solution
- ▶ Intuitive assembly and fast installation
- ▶ Durable and attractive
- ▶ Cost-effective and reusable



**NEW Welcome® - What's new?** 47  
Totally new and unique innovations



**NEW Welcome® - Highlights & Spec** 48  
Everything you need to know



**NEW Welcome® - Choices - width, handrails and colours** 49  
Perfectly meet any requirement



**NEW Welcome® - Complete Kits** 50  
So easy to specify and order these kits



**NEW Welcome® - Patio Platform** 51  
Great for double door applications



**NEW Welcome® - Accessories** 52  
Comprehensive solutions for every access challenge



**NEW Welcome® - Step Kits and Landings** 54  
Regular, Easy or Super-Easy steps in 2 widths for Welcome® Systems or standalone



**NEW Welcome® - Standalone Handrail Kits** 56  
Safe and easy access all the way



# NEW Welcome<sup>®</sup> What's New?



NEW Welcome<sup>®</sup> - modular ramp & step system

## Platforms

New 150cm (5ft) platform size



Low profile platforms and mounting options



10cm (4ins) high kerbs



Door Entry Flap



Step Kits - Regular, Easy or Super-Easy steps



Self-supporting doorplate for all platform sizes




## Faster assembly

Now with less fixings and central diamond holes

## Now in 2 widths

Regular 90cm (3ft) and, Wide 120cm (4ft) (with 10cm (4ins) kerbs)




## Now up to 85cm (33.5ins) high

New patented leg and universal foot

## Huge range of new accessories



Handrail elbow



Access hatch



Platform angle extension

## Standalone



Step Kits and Landings



Handrail kits


# NEW Welcome® - Highlights & Spec




## Attractive modular ramp solution that suits your budget, needs and timescales

### Your benefits:

- ▶ Complies fully with Building Regulations Document M for dwellings
- ▶ Order in kits for simple, effective specifying and ordering
- ▶ Extremely durable construction and finish - designed for years of outdoor use
- ▶ CAD drawings available for any variation on request
- ▶ Easily modified, adapted and reused


**HANDRAILS**  
Powder coated pre-galvanised steel provides a durable yet 'warm to the touch' handrail.



**STRENGTH**  
Built to last, the system has a huge 500kg capacity.

**2 WIDTHS**

**REGULAR width 90cm (3ft)**  
or  
**WIDE width 120cm (4ft)**



**ADJUSTABLE LEGS**  
Height-adjustable legs can be adjusted to suit ground variations and a huge range of step heights.




**PLATFORM**  
3 platform sizes available. If a greater size is required, simply join them together.



**DOORPLATE**  
Standard 75cm wide doorplate supplied with every WRB and WRWB system. Optional self-supporting and wide versions also available (see page 53)

### Key Dimensions




#### REGULAR width 90cm (3ft)

- A** - Internal Width - 90cm (36ins)
- B** - External Width - 110cm (43ins)
- C** - Platform - 122cm (48ins)

#### WIDE width 120cm (4ft)

- A** - Internal Width - 120cm (48ins)
- B** - External Width - 140cm (55ins)
- C** - Platform - 150cm (60ins) (Two-person install)



- D** - Handrails - 90cm (36ins)
  - E** - Mid Rails - 60cm (24ins)
  - F** - Kerbs - 10cm (4ins) (Note: 90cm (3ft) Regular width Ramp Kerb - 8cm (3ins))
  - G** - Height Range - 12cm (4.7ins) to 42cm (16.5ins) as standard (Minimum platform/WRB height with low mount accessory - 7.5cm (3ins)) (Maximum height with leg extension accessories - 85cm (33.5ins))
- Capacity 500kg (79st) per 2m ramp length



**Fast one-person install**



**Easy to specify and order**



**100% modular**



**Same-day dispatch**



**10 YEAR DESIGN LIFE**



**REMOVABLE ADJUSTABLE RE-USABLE ECO FRIENDLY PRODUCT**



# 3 Easy choices!

ONE CODE  
GIVES  
ALL YOU  
NEED!!

## 1 Easy Width Choice

NEW Welcome® ramps are now available from stock in two widths to meet all requirements.

### REGULAR



90cm (3ft)

### REGULAR width 90cm (3ft)

The old-time-favourite width, both serviceable and compact. Minimum required width for Building Regulations Document M for Dwellings (England and Wales).

Product codes remain unchanged, e.g. WR, WRA, WRB

### WIDE width 120cm (4ft)

This great addition to the NEW Welcome® range opens up fresh opportunities.

Wide ramp kits include the new generous size 150cm (5ft) platform.

### WIDE



120cm (4ft)

Choose 120cm (4ft) WIDE width for:

- Excellent and compliant solution for communal and public areas
- Turning space for larger mobility devices
- Preferred width for Scotland and some councils
- Bariatric use

## 2 Easy Handrail Selection

Choose the handrail type based on the required appearance, budget and specific application.

### Double Handrails



The best and safest handrail choice

- Double handrails create an effective and reassuring barrier for users and carers
- Add optional bow ends for comfort, enhanced appearance and safety
- Double handrails with Bow Ends are preferred for communal/public areas and by some councils

### Single Handrails



Single handrails are a very cost-effective solution for some applications

- Compliant for residential/single dwellings
- Suited for short/low ramps

### No Handrails



Ramp kits are available with no handrails

## 3 Easy Colour Options

NEW Welcome® ramps are available in a full range of carefully chosen and universally appealing colours including the option of Safety Yellow handrails.

Choose the colour and simply add the single letter code suffix as shown on page 52.



### Original Graphite

The standard Welcome® colour is a carefully selected and universally appealing soft dark grey



### Garden Green

A traditional deep green, perfect for garden environments



### Heritage Brown

A dark, rich brown to perfectly complement traditional and heritage buildings



### Safety Yellow

A carefully selected rich yellow, perfect for visual safety needs (handrails only)



Garden Green



Heritage Brown



Original Graphite with Safety Yellow handrails

# NEW Welcome® - Kits

These kits include all the components required for the chosen configuration and are designed to resolve the most common applications.



## Kit A – Ramp only



Often used to provide access to an existing platform or step. Available with any handrail combination and the fully self-supporting integral doorplate is great for uPVC thresholds.

Bow Ends and other accessories on page 52 and 53.

	Ramp Length	Double Handrail		Single Handrail		No Handrail
		Both Sides	One Side	Both Sides	One Side	
<b>REGULAR width 90cm (3ft)</b>	120cm (4ft)	WRA12-E	WRA12-D	WRA12-C	WRA12-B	WRA12-A
	180cm (6ft)	WRA18-E	WRA18-D	WRA18-C	WRA18-B	WRA18-A
	240cm (8ft)	WRA24-E	WRA24-D	WRA24-C	WRA24-B	WRA24-A
	300cm (10ft)	WRA30-E	WRA30-D	WRA30-C	WRA30-B	WRA30-A
	360cm (12ft)	WRA36-E	WRA36-D	WRA36-C	WRA36-B	WRA36-A
	420cm (14ft)	WRA42-E	WRA42-D	WRA42-C	WRA42-B	WRA42-A
<b>WIDE width 120cm (4ft)</b>	480cm (16ft)	WRA48-E	WRA48-D	WRA48-C	WRA48-B	WRA48-A
	120cm (4ft)	WRWA12-E	WRWA12-D	WRWA12-C	WRWA12-B	WRWA12-A
	180cm (6ft)	WRWA18-E	WRWA18-D	WRWA18-C	WRWA18-B	WRWA18-A
	240cm (8ft)	WRWA24-E	WRWA24-D	WRWA24-C	WRWA24-B	WRWA24-A
	300cm (10ft)	WRWA30-E	WRWA30-D	WRWA30-C	WRWA30-B	WRWA30-A
	360cm (12ft)	WRWA36-E	WRWA36-D	WRWA36-C	WRWA36-B	WRWA36-A
	420cm (14ft)	WRWA42-E	WRWA42-D	WRWA42-C	WRWA42-B	WRWA42-A
	480cm (16ft)	WRWA48-E	WRWA48-D	WRWA48-C	WRWA48-B	WRWA48-A

## Kit B – Ramp and Platform



A very popular installation layout, complying with the requirements for a resting platform at the top of a ramp. The platforms can be used in straight-through or turning configurations.

Bow Ends and other accessories on page 52 and 53.

	Ramp Length	Length Inc. Platform	Double Handrail		Single Handrail		No Handrail
			Both Sides	One Side	Both Sides	One Side	
<b>REGULAR width 90cm (3ft)</b>	120cm (4ft)	240cm (8ft)	WRB12-E	WRB12-D	WRB12-C	WRB12-B	WRB12-A
	180cm (6ft)	300cm (10ft)	WRB18-E	WRB18-D	WRB18-C	WRB18-B	WRB18-A
	240cm (8ft)	360cm (12ft)	WRB24-E	WRB24-D	WRB24-C	WRB24-B	WRB24-A
	300cm (10ft)	420cm (14ft)	WRB30-E	WRB30-D	WRB30-C	WRB30-B	WRB30-A
	360cm (12ft)	480cm (16ft)	WRB36-E	WRB36-D	WRB36-C	WRB36-B	WRB36-A
	420cm (14ft)	540cm (18ft)	WRB42-E	WRB42-D	WRB42-C	WRB42-B	WRB42-A
<b>WIDE width 120cm (4ft)</b>	480cm (16ft)	600cm (20ft)	WRB48-E	WRB48-D	WRB48-C	WRB48-B	WRB48-A
	120cm (4ft)	270cm (9ft)	WRWB12-E	WRWB12-D	WRWB12-C	WRWB12-B	WRWB12-A
	180cm (6ft)	330cm (11ft)	WRWB18-E	WRWB18-D	WRWB18-C	WRWB18-B	WRWB18-A
	240cm (8ft)	390cm (13ft)	WRWB24-E	WRWB24-D	WRWB24-C	WRWB24-B	WRWB24-A
	300cm (10ft)	450cm (15ft)	WRWB30-E	WRWB30-D	WRWB30-C	WRWB30-B	WRWB30-A
	360cm (12ft)	510cm (17ft)	WRWB36-E	WRWB36-D	WRWB36-C	WRWB36-B	WRWB36-A
	420cm (14ft)	570cm (19ft)	WRWB42-E	WRWB42-D	WRWB42-C	WRWB42-B	WRWB42-A
	480cm (16ft)	630cm (21ft)	WRWB48-E	WRWB48-D	WRWB48-C	WRWB48-B	WRWB48-A

Note. Wide ramp kits include the new generous size 150cm (5ft) square platform.



# NEW Welcome® - Patio Platforms

## Your benefits:

- Level platform area clear of door swing (Building Regulations Document M)
- Incredibly useful 180 x 122cm (6 x 4ft) size



## 1 Select platform layout and handrail type.

For ramp width	Ramp / Entry	Door / Exit	Double Handrail	Single Handrail	No Handrail
<b>REGULAR width</b> 90cm (3ft)	End	End	WRP18EE-E	WRP18EE-C	WRP18EE-A
	End	Side*	WRP18ES-E	WRP18ES-C	WRP18ES-A
	Side	End	WRP18SE-E	WRP18SE-C	WRP18SE-A
	Side	Side*	WRP18SS-E	WRP18SS-C	WRP18SS-A
<b>WIDE width</b> 120cm (4ft)	Side	End	WRWP18SE-E	WRWP18SE-C	WRWP18SE-A
	Side	Side*	WRWP18SS-E	WRWP18SS-C	WRWP18SS-A


\* Side exit platforms include WDP15S 150cm wide doorplate.

## 2 Select ramp width, ramp length and handrail type

	Ramp Length	Double Handrail		Single Handrail		No Handrail
		Both Sides	One Side	Both Sides	One Side	
<b>REGULAR width</b> 90cm (3ft)	120cm (4ft)	WR12-E	WR12-D	WR12-C	WR12-B	WR12-A
	180cm (6ft)	WR18-E	WR18-D	WR18-C	WR18-B	WR18-A
	240cm (8ft)	WR24-E	WR24-D	WR24-C	WR24-B	WR24-A
	300cm (10ft)	WR30-E	WR30-D	WR30-C	WR30-B	WR30-A
	360cm (12ft)	WR36-E	WR36-D	WR36-C	WR36-B	WR36-A
	420cm (14ft)	WR42-E	WR42-D	WR42-C	WR42-B	WR42-A
<b>WIDE width</b> 120cm (4ft)	120cm (4ft)	WRW12-E	WRW12-D	WRW12-C	WRW12-B	WRW12-A
	180cm (6ft)	WRW18-E	WRW18-D	WRW18-C	WRW18-B	WRW18-A
	240cm (8ft)	WRW24-E	WRW24-D	WRW24-C	WRW24-B	WRW24-A
	300cm (10ft)	WRW30-E	WRW30-D	WRW30-C	WRW30-B	WRW30-A
	360cm (12ft)	WRW36-E	WRW36-D	WRW36-C	WRW36-B	WRW36-A
	420cm (14ft)	WRW42-E	WRW42-D	WRW42-C	WRW42-B	WRW42-A
	480cm (16ft)	WRW48-E	WRW48-D	WRW48-C	WRW48-B	WRW48-A

Note: Ramp and platform handrail type should match.

### Configuration and code examples



See next page for accessories, options and upgrades

NEW Welcome® - modular ramp & step system

# NEW Welcome® Popular Accessory Options

Enhance your NEW Welcome® ramp with these very popular accessories



## Colour options

To order simply follow the 2 steps below:

- 1 Choose/select your ramp configuration.**
- 2 Confirm your colour choice:**
  - A.** All standard codes will be delivered in Original Graphite colour.
  - B.** For any other colour/colour combination add the relevant suffix from the table to the end of your chosen standard ramp kit A or kit B code.  
E.g. for WRB12-E in Original Graphite with Safety Yellow handrails, the code would be WRB12-E-Y.

Colour code Combination		Code Suffix
Original Graphite		No suffix
Original Graphite with Safety Yellow handrails		-Y
Garden Green		-G
Heritage Brown		-B

## Legs

**Standard leg (pair)** **WL**  
Height range - 12cm (4.7ins) to 42cm (16.5ins)

**Tall leg (pair)** **WLT**  
Height range - 12cm (4.7ins) to 62cm (24.4ins)  
(20cm (8ins) taller than standard leg)

## Leg Extensions

**Regular leg extension (pair)** **WLX**  
Add 15cm (6ins) to either Welcome® leg height

**Long leg extension (pair)** **WLXT**  
Add 30cm (12ins) to either Welcome® leg height



## Handrail Uprights

**For Ramps** **WHUR**  
**For Platforms** **WHUP**

For colour options add suffix shown above.

**Foot for indoor use**  
Rubber foot accessory for indoor use (pair) **WRIF**



**Platform Low Mount Foot Kit pair WPLM**  
(Mount Welcome® Platform as low as 7.5cm (3ins))

## Elbow/Connector/Bracket kits

For joining/extending and adapting Welcome® Ramp kits



**WHELBOW**  
Elbow (0 - 90 degrees)  
'Fitter's dream' for all angles, inclines and corners



**WHCONN**  
Connector (straight/rigid)



**WHBRKT**  
Bracket (top/mid-rail)



**WHBADTMID**  
Mid-rail bracket adaptor (for steps)

## Access Hatch



**WPROAH**  
For ramps or platforms (43 x 66cm); Requires cutting/drilling to fit.

## Soft-Ground Leg Bearer

For grass, flower beds, gravel, etc.



Long **WRLB** 15 x 3.8 x 120cm (6 x 1.6 x 48ins)  
Short **WRLBS** 15 x 3.8 x 30cm (6 x 1.6 x 12ins)

## Infill Kerbs (pair)

**WRIK**



## Spares & Tool Kit

**WRSFK**





## Square Platforms

NEW

### REGULAR 122cm

**WRP12-E** (Double handrails)

**WRP12-C** (Single handrails)

**WRP12-A** (No handrails)

### WIDE 150cm

**WRP15-E** (Double handrails)

**WRP15-C** (Single handrails)

**WRP15-A** (No handrails)



See also 122 x 180cm Patio Platform options on page 51

## Welcome® Platform Door Entry Flap


Width: 72cm (28.3ins) Length: 45cm (18ins)

**WPEF12** 122cm platform side

**WPEF15** 150cm platform side

**WPEF18** 180cm platform side

NEW



## Self-Supporting Doorplate

Avoids threshold fixings - no more cracked uPVC frames

### Upgrade Kits

Self-supporting upgrade kit only (excludes doorplate).



For use with 75cm doorplates supplied with kits.

For WRB REGULAR width ramp kits **Code: WRBSD8**

For WRWB WIDE width ramp kits **Code: WRWBSD8**

### Complete Kits

NEW SIZES



Complete kit includes doorplate

(75cm) WDP8S

(100cm) WDP10S

(150cm) WDP15S

Complete kits		
for 122cm platform side	for 150cm platform side	for 180cm platform side
<b>WPS12D8</b>	<b>WPS15D8</b>	<b>WPS18D8</b>
<b>WPS12D10</b>	<b>WPS15D10</b>	<b>WPS18D10</b>
N/A	<b>WPS15D15</b>	<b>WPS18D15</b>

## NEW Welcome® Platform Angle Extensions

NEW

Universal for REGULAR 90cm or WIDE 120cm ramp widths and any size platform side.

### 30 degrees angle:

**WPRE30-E** (Double Handrails)

**WPRE30-C** (Single Handrails)

**WPRE30-A** (No Handrails)

### 45 degrees angle:

**WPRE45-E** (Double Handrails)

**WPRE45-C** (Single Handrails)

**WPRE45-A** (No Handrails)

## Bow End



Add optional bow end accessories for additional comfort, safety and enhanced appearance. **WRBE** (one side) For colour options add suffix shown opposite.

## Ramp Join Spine



Also use midway on ramp modules to increase capacity by 50% to 750kg (118st) per 2m of ramp length. REGULAR width **WRJS** WIDE width **WRWJS**

## Wide/long doorplates for platform sides



Code:	Size
<b>WDP8S</b>	74x17cm
<b>WDP8L</b>	74x23.5cm
<b>WDP10S</b>	105x17cm
<b>WDP10L</b>	105x23.5cm
<b>WDP15S</b>	143x17cm*
<b>WDP15L</b>	143x23.5cm*
<b>WDPBLANK</b>	114x 57cm

\*For 150cm and 180cm Platform Sides

## Ramp to Platform Joiner

Connect ramps to platform. Universal, up or down.



NEW

**WPDR**  
REGULAR (90cm) width Ramp  
**WPWDR**  
WIDE (120cm) width ramp

## Platform to Platform Joiner

Simply join platforms together.



Code:	Size
<b>WPP</b>	122cm
<b>WPP15</b>	150cm
<b>WPP18</b>	180cm
<b>WPPCC</b>	Corner cover

## Welcome® Platform Gate



**WPGATE**  
Available in Original Graphite and Garden Green colours. For colour options add suffix shown opposite.

NEW Welcome® - modular ramp & step system


# NEW Welcome® - Step Kits



## Your benefits:

- ▶ Totally configurable and adjustable with just 4 main step components
- ▶ Handrail and colour options
- ▶ Building Regulations Document M compliant
- ▶ Build over/straddle existing steps

Choice of step tread (going) for all applications including walking-frame and rollator use.




## Essential safety benefits:

- ▶ Even step heights and closed risers
- ▶ 10cm side kerbs
- ▶ Consistent handrail height
- ▶ Self-draining
- ▶ Max component weight less than 5kg (11lbs)

## Specifications:

- ▶ Step height 8 - 17cm (3.2 - 6.7ins)
- ▶ 500kg (79st) capacity
- ▶ Height up to 85cm (33.5ins)



## Step Kits for Welcome® Platforms


**ONE CODE GIVES ALL YOU NEED!!**

## Specifications:

- ▶ Overall width 128cm (50.4ins)

## Kit height range (Platform height):

- ▶ 1 step kit 16 - 34cm (6.3 - 13.4ins)
- ▶ 2 step kit 24 - 51cm (9.5 - 20.1ins)\*
- ▶ 3 step kit 32 - 68cm (12.6 - 26.8ins)\*
- ▶ 4 step kit 40 - 85cm (15.7 - 33.5ins)\*



Width: 120cm (4ft) wide

Step Tread (Going)	Kit	Double Handrail with Bow Ends	Single Handrail
<b>REGULAR</b> 30cm (12ins)	1 step	WSWR1-E	WSWR1-C
	2 step	WSWR2-E	WSWR2-C
	3 step	WSWR3-E	WSWR3-C
	4 step	WSWR4-E	WSWR4-C
<b>EASY</b> 60cm (24ins)	1 step	WSWE1-E	WSWE1-C
	2 step	WSWE2-E	WSWE2-C
	3 step	WSWE3-E	WSWE3-C
	4 step	WSWE4-E	WSWE4-C
<b>SUPER-EASY</b> 90cm (36ins)	1 step	WSWS1-E	WSWS1-C
	2 step	WSWS2-E	WSWS2-C
	3 step	WSWS3-E	WSWS3-C
	4 step	WSWS4-E	WSWS4-C

\*Upper height ranges will require leg extension accessories for the platform



# Standalone Step and Landing Kits

## Your benefits:

- REGULAR 90cm or WIDE 120cm width
- Fully self-supporting doorplate
- Supplied with wall brackets
- Top landing options



## Specifications:

- Overall width: regular 98cm (38.6ins)
- Overall width: WIDE 128cm (50.4ins)
- Doorplate: 75 x 17cm (30 x 6.7ins)

## Kit height range:

- 1 step kit 8 - 17cm (3.2 - 6.7ins)
- 2 step kit 16 - 34cm (6.3 - 13.4ins)
- 3 step kit 24 - 51cm (9.5 - 20.1ins)
- 4 step kit 32 - 68cm (12.6 - 26.8ins)



(Optional landing increases max. height range by 1 riser. Add 8 - 17cm/3.2 - 6.7ins)

## Standalone Steps

### REGULAR 90cm (3ft) width

Step Tread (Going)	Kit	Double Handrail with Bow Ends	Single Handrail
<b>REGULAR</b> 30cm (12ins)	1 step	WSSR1-E	WSSR1-C
	2 step	WSSR2-E	WSSR2-C
	3 step	WSSR3-E	WSSR3-C
	4 step	WSSR4-E	WSSR4-C
<b>EASY</b> 60cm (24ins)	1 step	WSSE1-E	WSSE1-C
	2 step	WSSE2-E	WSSE2-C
	3 step	WSSE3-E	WSSE3-C
	4 step	WSSE4-E	WSSE4-C
<b>SUPER-EASY</b> 90cm (36ins)	1 step	WSSS1-E	WSSS1-C
	2 step	WSSS2-E	WSSS2-C
	3 step	WSSS3-E	WSSS3-C
	4 step	WSSS4-E	WSSS4-C

### WIDE 120cm (4ft) width

Kit	Double Handrail with Bow Ends	Single Handrail
1 step	WSWSR1-E	WSWSR1-C
2 step	WSWSR2-E	WSWSR2-C
3 step	WSWSR3-E	WSWSR3-C
4 step	WSWSR4-E	WSWSR4-C
1 step	WSWSE1-E	WSWSE1-C
2 step	WSWSE2-E	WSWSE2-C
3 step	WSWSE3-E	WSWSE3-C
4 step	WSWSE4-E	WSWSE4-C
1 step	WSWSS1-E	WSWSS1-C
2 step	WSWSS2-E	WSWSS2-C
3 step	WSWSS3-E	WSWSS3-C
4 step	WSWSS4-E	WSWSS4-C

## Landings

WIDTH (to match step widths)	Length	Type	Double Handrail	Single Handrail
<b>REGULAR width 90cm (3ft)</b>	60cm (24ins)	Through	WSL6TH-E	WSL6TH-C
	90cm (36ins)	Through	WSL9TH-E	WSL9TH-C
	90cm (36ins)	Turning	WSL9TU-E	WSL9TU-C
	120cm (48ins)	Through	WSL12TH-E	WSL12TH-C
	120cm (48ins)	Turning	WSL12TU-E	WSL12TU-C
<b>WIDE width 120cm (4ft)</b>	120cm (48ins)	Universal	WSWL12UN-E	WSWL12UN-C

Height range 16-50cm (6.3 - 19.7ins). See also Leg Extensions page 52. Maximum height 85cm (33.5ins)



Fast one-person install



Easy to specify and order



100% modular



Same-day dispatch



10 YEAR DESIGN LIFE



REMOVABLE ADJUSTABLE ECO FRIENDLY PRODUCT RE-USABLE


# NEW Welcome<sup>®</sup> - Standalone Handrail Kits

Safe and easy access all the way




## One kit for all applications:


### Paths



### Slopes



### Steps



#### Fast, easy installation

- ▶ No cutting/no Hot-Work on site
- ▶ No gluing or riveting
- ▶ 4-way height and angle adjustment
- ▶ Join seamlessly to Welcome<sup>®</sup> Ramps and Steps handrails



#### A solution for every application

- ▶ Choose any mounting option – wall-mount, base-fix, concrete-in or face-fix
- ▶ Join kits with elbows, straight connectors or corner post
- ▶ Handrail, mid-rail and bow end options
- ▶ Telescopic length adjustment option
- ▶ Colour options

#### High specification convenience!

- ▶ Fully galvanised steel with high-build Polyester Powdercoat finish
- ▶ Complete ready-to-go kits, components or bulk packs





# Easy Colour Options

NEW Welcome® handrails are available in a full range of carefully chosen and universally appealing colours including the option of Safety Yellow handrails. Choose the colour and simply add the single letter code suffix as shown on page 59.



Original Graphite



Garden Green



Heritage Brown



Safety Yellow

## Choose any mounting option




## Handrail, mid-rail and Bow End options



## Simply join kits together as required



### Standalone Handrail Example Kits/Codes



**ONE CODE GIVES ALL YOU NEED!!**

### Standalone Handrail Kit Codes

	Length	Uprights	Double Handrail	Single Handrail
Wall-Mount	30cm (1ft)	-	-	WHRW03
	60cm (2ft)	-	-	WHRW06
	120cm (4ft)	-	-	WHRW12
	180cm (6ft)	-	-	WHRW18
	240cm (8ft)	-	-	WHRW24
Base-Fix	30cm (1ft)	1	WHRB03-D	WHRB03-B
	60cm (2ft)	2	WHRB06-D	WHRB06-B
	120cm (4ft)	2	WHRB12-D	WHRB12-B
	180cm (6ft)	3	WHRB18-D	WHRB18-B
	240cm (8ft)	3	WHRB24-D	WHRB24-B
Concrete-In	30cm (1ft)	1	WHRC03-D	WHRC03-B
	60cm (2ft)	2	WHRC06-D	WHRC06-B
	120cm (4ft)	2	WHRC12-D	WHRC12-B
	180cm (6ft)	3	WHRC18-D	WHRC18-B
	240cm (8ft)	3	WHRC24-D	WHRC24-B
Face-Fix	30cm (1ft)	1	WHRF03-D	WHRF03-B
	60cm (2ft)	2	WHRF06-D	WHRF06-B
	120cm (4ft)	2	WHRF12-D	WHRF12-B
	180cm (6ft)	3	WHRF18-D	WHRF18-B
	240cm (8ft)	3	WHRF24-D	WHRF24-B

See next page for components and bulk packs

NEW Welcome® - modular ramp & step system

# NEW Welcome<sup>®</sup> - Standalone Handrail Kits

Components and bulk packs






Components (includes all assembly fixings)		Code:	Bulk Pack (Code Suffix)
	<b>Handrails</b>		
	30cm (1ft)*	<b>WHR1</b>	10
	60cm (2ft)*	<b>WHR2</b>	10
	120cm (4ft)*	<b>WHR4</b>	20
	180cm (6ft)*	<b>WHR6</b>	20
	240cm (8ft)*	<b>WHR8</b>	5
	<b>Handrail Brackets</b>		
	Wall-mount Bracket Running (along wall)	<b>WHBRUN</b>	40
	Wall -mount Bracket Stop (handrail end onto wall)	<b>WHBSTOP</b>	20
	Bracket for upright (top/mid-rail)	<b>WHBRKT</b>	40
	Bracket for upright (mid-rail for steps)	<b>WHBMIDS</b>	20
	<b>Upright*</b>	<b>WHUP</b>	20
	<b>Mounting Type</b>		
	Base-fix	<b>WHBASE</b>	20
	Concrete-in	<b>WHCONC</b>	20
	Face-fix	<b>WHFACE</b>	20
	<b>Bow End*</b>	<b>WRBE</b>	4










Components (includes all assembly fixings)	Code:	Bulk Pack (Code Suffix)
---	-------	----------------------------

**Connectors**

	Elbow (0 - 90 deg.)	<b>WHELBOW</b>	20
	Straight (rigid)	<b>WHCONN</b>	20
	Telescopic Handrail Extension/Connector* 60cm (24ins)	<b>WHTE2</b>	10

**Trims**


	Handrail end cap	<b>WHEND</b>	40
	Bracket Adaptor for Bow End or Telescopic Handrail Extension/Connector	<b>WHBADT35</b>	

Colour Code Combination		*Code Suffix
Original Graphite		No suffix
Original Graphite with Safety Yellow handrails		-Y
Garden Green		-G
Heritage Brown		-B



**Touch-Up Aerosol 400ml**


Original Graphite	<b>WRTUA</b>	6
Garden Green	<b>WRTUA-G</b>	6
Heritage Brown	<b>WRTUA-B</b>	6
Safety Yellow	<b>WRTUA-Y</b>	6



**Low/Flush Head Fixings** - Added to the range by popular demand. These proven fixings are great for Standalone Handrails and for NEW Welcome® Ramps too. (Require expansion plugs for concrete - not supplied)

Size/Driver Required	Length	Code	Pack Size
6mm TX30 (For e.g. wall-mount brackets etc.)	40mm long	<b>WHTX640</b>	100
	70mm long	<b>WHTX670</b>	100
8mm TX40 (For e.g. base-fix and face-fix brackets etc.)	60mm long	<b>WHTX860</b>	50
	80mm long	<b>WHTX880</b>	50
	100mm long	<b>WHTX8100</b>	50

\*Colour options available - use suffix. Bulk Packs available for Original Graphite colour



**Fast one-person install**



**Easy to specify and order**



**100% modular**



**Same-day dispatch**



**10 YEAR DESIGN LIFE**



**REMOVABLE ADJUSTABLE RE-USABLE ECO FRIENDLY PRODUCT**

# rampCENTRE<sup>®</sup> SRS Ramp<sup>™</sup>

Modular ramp system



The SRS modular ramp system has been carefully designed from modular and adjustable components. This durable system is easy to select, specify and install and gives endless configurations with a superb end result.

Ideally suited to public access and corporate applications, this galvanised steel ramp system is exceptionally adaptable, with many useful options available.

### Your benefits:

- ▶ Approved Building Regulations Document M and K compliant
- ▶ Very rugged, high capacity construction
- ▶ Extremely adaptable, with many options available
- ▶ Order in kits for simple, effective purchasing



“Extremely strong and adaptable, in three widths and up to 1.5m high”







# SRS Ramp™ -Kits

These kits include all the components required for the Regular 3ft/90cm width system configurations shown, and are designed to resolve the most common applications. Should you require the Wide 4ft/120cm width system, or the Extra-wide 5ft/150cm width system or any other configurations, please contact us.

## SRS Kit A – Ramp only (Regular 3ft/90cm System Width)



SRKA22-9S



Plan view

Often used to provide access to an existing platform or step

**Kit includes:** lead-in ramp, ramp module(s), 13cm aluminium doorplate, height-adjustable legs, handrails (if specified) and all assembly fixings

### Key Product Information

Ramp Length*	Code	
	With Handrails	Without Handrails
170cm (5ft 7ins)	SRKA17-9S	SRKA17-9
224cm (7ft 4ins)	SRKA22-9S	SRKA22-9
265cm (8ft 8ins)	SRKA27-9S	SRKA27-9
306cm (10ft)	SRKA31-9S	SRKA31-9
360cm (11ft 10ins)	SRKA36-9S	SRKA36-9
415cm (13ft 7ins)	SRKA42-9S	SRKA42-9
456cm (15ft)	SRKA46-9S	SRKA46-9
496cm (16ft 3ins)	SRKA50-9S	SRKA50-9
551cm (18ft 1ins)	SRKA55-9S	SRKA55-9
605cm (19ft 10ins)	SRKA61-9S	SRKA61-9

\*Length includes lead-in ramp but not doorplate

## SRS Kit B – Ramp and Platform (Regular 3ft/90cm System Width)

(Regular 3ft/90cm System Width)

A very popular installation layout, complying with the requirements for a resting platform at the top of a ramp. The 110cm square platform can be used in both straight-through and turning configurations.

**Kit includes:** 110 x 110cm platform, lead-in ramp, ramp module(s), 13cm aluminium doorplate, height-adjustable legs, handrails (if specified) and all assembly fixings



SRKB42-9S



Plan view

### Key Product Information

Ramp Length*	Length Including Platform*	Code	
		With Handrails	Without Handrails
170cm (5ft 7ins)	280cm (9ft 2ins)	SRKB17-9S	SRKB17-9
224cm (7ft 4ins)	334cm (10ft 11ins)	SRKB22-9S	SRKB22-9
265cm (8ft 8ins)	375cm (12ft 4ins)	SRKB27-9S	SRKB27-9
306cm (10ft)	416cm (13ft 8ins)	SRKB31-9S	SRKB31-9
360cm (11ft 10ins)	470cm (15ft 5ins)	SRKB36-9S	SRKB36-9
415cm (13ft 7ins)	525cm (17ft 2ins)	SRKB42-9S	SRKB42-9
456cm (15ft)	576cm (18ft 6ins)	SRKB46-9S	SRKB46-9
496cm (16ft 3ins)	606cm (19ft 11ins)	SRKB50-9S	SRKB50-9
551cm (18ft 1ins)	661cm (21ft 8ins)	SRKB55-9S	SRKB55-9
605cm (19ft 10ins)	715cm (23ft 5ins)	SRKB61-9S	SRKB61-9

\* Length includes lead-in ramp but not doorplate

# SRS Ramp™ -Components

In addition to the complete kits on the previous page, these components can be used to modify or build a ramp system to your desired specification, and include the fixings required for assembly.



## System Selection Guide

Remember, we're happy to help at any stage, so don't hesitate to contact us on our technical support and sales helpline. The following points must be considered with any system ordered:

- ▶ Every ramp system starts with a **Lead-in Ramp** from floor level
- ▶ Each ramp module requires 2 **Telescopic Legs** (except where connected directly to a platform)
- ▶ **Handrails** are ordered separately for ramps and platforms
- ▶ At the top of any system, a **Doorplate** is used to overlap onto a threshold or step to ensure there is no gap



## Ramp Components



### Ramp Modules

Code	Size cm (ins)
<b>Regular 3ft/90cm System</b>	
SR14-9	136 (54)
SR19-9	190 (75)
SR23-9	231 (91)
<b>Wide 4ft/120cm System</b>	
SR14-13	136 (54)
SR19-13	190 (75)
SR23-13	231 (91)
<b>Extra-Wide 5ft/150cm System</b>	
SR14-15	136 (54)
SR19-15	190 (75)
SR23-15	231 (91)

### Handrails

(code is for 1 side only)

Code	Length cm (ins)
SRH14-S	136 (54)
SRH19-S	190 (75)
SRH23-S	231 (91)



### Bowend

For Standard Handrail (code is for 1 side only)

Code	Size cm (ins)
SRH-DE	30 x 30 (12 x 12)

### Lead-in Ramp


Code	Size cm (ins)
<b>Regular 3ft/90cm System</b>	
SRLI3-9	96 x 34 (38 x 13)
<b>Wide 4ft/120cm System</b>	
SRLI3-13	130 x 30 (51 x 12)
<b>Extra-Wide 5ft/150cm System</b>	
SRLI3-15	150 x 30 (69 x 12)
<b>Telescopic Leg</b> (code is for 1 leg only)	
SRLT	up to <100 (39) high

### Doorplate

Aluminium for easy onsite trimming

Code	Size cm (ins)
<b>Regular 3ft/90cm System</b>	
SRDP1-9	96 x 13 (38 x 5)
SRDP2-9	96 x 22 (38 x 9)
SRDP5-9	96 x 47 (38 x 19)
<b>Wide 4ft/120cm and Extra-Wide 5ft/150cm Systems</b>	
SRDP2-13	150 x 22 (59 x 9)

## Platform Components



### Doorplate

Aluminium for easy onsite trimming

Code	Size cm (ins)
<b>Min. 110cm width platform</b>	
SRDP1-9	96 x 13 (38 x 5)
SRDP2-9	96 x 22 (38 x 9)
SRDP5-9	96 x 47 (38 x 19)
<b>Min. 150cm width platform</b>	
SRDP2-13	150 x 22 (59 x 9)

### Platform Modules

110cm side or wider accepts Regular system ramps. 150cm side or wider accepts Wide and Extra-Wide system ramps.

Code	Size cm (ins)	Includes telescopic legs and uprights for railings
SRP11-11	110 x 110 (43 x 43)	
SRP11-15	110 x 150 (43 x 59)	
SRP15-15	150 x 150 (59 x 59)	
SRP15-19	150 x 190 (59 x 75)	

### Platform Handrails

For one side only; includes toe-plate

Code	Length cm (ins)
SRPH4-S	40 (16) incl. handrail upright
SRPH8-S	80 (32) incl. handrail upright
SRPH11-S	110 (43)
SRPH15-S	150 (59)
SRPH19-S	190 (75)

### Platform Spacer/Joiner

Join platforms for 'switch-back' ramps to provide a gap between handrails of the adjacent ramps.

Code	
SRP6-11	For 110cm platform sides
SRP6-15	For 150cm platform sides

### Platform Joining Kit

Join platforms where no spacer is required.

Code
SRPJ



## Platform Components

### Bolt-Down Foot

For extra security and permanence

**Code (each)** SRBDF



### SRS Leg Bearer

To spread the load where required. (Shown with SRBDF)

Code	Size cm (ins)
WRLBS	15 x 3.8 x 30 (6 x 1.6 x 18)



### Low Mount Platform Kit (Set of 4)

For heights down to 10cm (4ins) (not illustrated)

**Code** SRLPK

## Ask About

### Gate Unit

2 sizes of gate unit for edge protection.



### Step Kits

Steps provide easy access for all users - supplied with handrails.



### Triangular Platform Modules

Available in 2 sizes and supplied with handrails, these are excellent for when space is limited and the ramp needs to change direction slightly.

### SRS Tool Kit

**Code** SRSTK

### SRS Fixings and Spares Kit

**Code** SRSK


## Ask About



**Extra-Wide 5ft/150cm System**  
For public/communal access



**Closed Mesh Surface**  
For all shoe types including stiletto heels



**Baluster Handrail Options**  
For appearance and child safety




**Custom Colours**  
For corporate or designer styling



**Application support**  
For the very best solution

## Swift Ramp System Key Dimensions



### Regular 3ft/90cm System

**A** - Internal Width - 90cm (35ins)  
**B** - External Width - 110cm (43ins)

### Wide 4ft/120cm System

**A** - Internal Width - 130cm (51ins)  
**B** - External Width - 150cm (59ins)

### Extra-Wide 5ft/150cm System

**A** - Internal Width - 143cm (56.3ins)  
**B** - External Width - 159cm (62.6ins)

**C** - Upper Rail Height - 90cm (35ins)  
**D** - Mid Rail Height - 64cm (25ins)

**E** - Kerb Height - 12cm (5ins)

**F** - Max. Height (Standard System): 90cm (35.5ins)  
(Ask about heights up to 1.5m (59ins))  
Min. Height 20cm (8ins)  
(Min. platform height is 10cm (4ins) with option SRLPK)

# Portable Folding Aluminium Ramp



- ▶ Made in Britain for improved quality and reduced carbon emissions
- ▶ Increased availability; avoiding long distance shipping delays
- ▶ Strong but lightweight with full-length hinge
- ▶ Budget-friendly and easy-to-use, overcoming everyday obstacles
- ▶ Suited to wheelchairs, scooters, rollators and pedestrians



Code	Length	Weight	Capacity	Stored Dimensions L x W x D
<b>Width: 72cm (28.3ins)</b>				
MFR06	60cm (2ft)	4.4kg (9.7lbs)	300kg (47st)	60 x 37 x 7.6cm (23.2 x 14.6 x 3ins)
MFR09	90cm (3ft)	6.8kg (15lbs)	300kg (47st)	90 x 37 x 7.6cm (35.4 x 14.6 x 3ins)
MFR12	120cm (4ft)	9.1kg (20lbs)	300kg (47st)	120 x 37 x 8.6cm (47.2 x 14.6 x 3.4ins)
MFR15	150cm (5ft)	11.5kg (25.3lbs)	300kg (47st)	150 x 37 x 8.6cm (59.1 x 14.6 x 3.4ins)
MFR18	180cm (6ft)	13.9kg (30.6lbs)	300kg (47st)	180 x 37 x 8.6cm (70.7 x 14.6 x 3.4ins)
MFR21	210cm (7ft)	16.3kg (35.9lbs)	275kg (43st)	210 x 37 x 8.6cm (82.7 x 14.6 x 3.4ins)
MFR24	240cm (8ft)	18.7kg (41.1lbs)	250kg (39st)	240 x 37 x 8.6cm (94.5 x 14.6 x 3.4ins)



### Adjustable Wedge Ramp



**Your benefits:**

- ▲ New patented design
- ▲ Quick and easy adjustment in 1 inch (2.5cm) increments
- ▲ Unobtrusive design with high grip surface
- ▲ Great for indoor and outdoor use

Code	Min. Height	Max. Height	Length	Capacity	Weight
<b>Width: 74cm (29ins)</b>					
<b>MAW10</b>	5cm (2ins)	10cm (4ins)	43cm (16.9ins)	275kg (43st)	6.5Kg (14.3lbs)

Adjust height for thresholds from 5cm to 10cm high



### Telescopic Channel Ramps


Code (Pair)	Min. Length	Max. Length	Capacity (Pair)	Weight (Each Half)
<b>Width: 19cm (7.5ins)</b>				
<b>MTR12</b>	75cm (2.5ft)	120cm (4ft)	300kg (47st)	2.5kg (5.5lbs)
<b>MTR15</b>	83cm (2.7ft)	150cm (5ft)	300kg (47st)	3.3kg (7.3lbs)
<b>MTR18</b>	107cm (3.5ft)	180cm (6ft)	300kg (47st)	3.9kg (8.6lbs)
<b>MTR21</b>	120cm (4ft)	210cm (7ft)	300kg (47st)	4.1kg (9.0lbs)



Made in China IMPORTANT: These products may be subject to changes in source, specification, appearance and packaging. Images may not match product supplied. Limited 12 month warranty


### Contract Kerb Type Threshold Ramp

Code	Length	Max. Recom. Height	Capacity	Weight
<b>Width: 70cm (27.5ins)</b>				
<b>MMT5</b>	50cm (20ins)	10cm (3.9ins)	300kg (47st)	3kg (6.6lbs)



### Contract Bridge Type Threshold Ramp

Code	Length	Height	Capacity*	Weight
<b>Width: 70cm (27.5ins)</b>				
<b>MBR4</b>	50cm (19.7ins)	4cm (1.6ins)	300kg (47st)	3kg (6.6lbs)
<b>MBR6</b>	58cm (22.8ins)	6cm (2.4ins)	250kg (39.4st)	3.3kg (7.3lbs)
<b>MBR8</b>	75cm (29.5ins)	8cm (3.1ins)	250kg (39.4st)	5.4kg (11.9lbs)
<b>MBR10</b>	100cm (39ins)	10cm (3.9ins)	250kg (39.4st)	7.6kg (16.8lbs)




\*Capacity assumes ramp rests on threshold

Metro<sup>®</sup> - economy/contract access solutions




# Installed Ramp Gallery





# TOP TIPS!

1. Refer to Ramp Specifier Guide (p4/5)
2. Always take close-up and stand-back photographs
3. Make a rough sketch and add dimensions



Special Products and Service



**Most of the products listed carry a comprehensive 2-year warranty for normal use, conditions apply.** Use other than published/intended will void the warranty.



Enable Access, AccessCentre, Aerolight, ExitMaster, RampCentre, Permaramp, The Butterfly Ramp and Metro Mobility are registered trademarks of Enable Access (Holdings) Ltd. Welcome, Rollout-Trackway, Doorline, Ultralight, High Rise and Quickrails are trademarks of Enable Access (Holdings) Ltd. These and all other product names, codes and images must only be used in reference to products supplied by Enable Access. We undertake a policy of continual review and research, which may lead to changes in product appearance and specification. Information is given for guidance only: customers take ultimate responsibility for purchasing decisions. Aerolight ramps are designed and optimised for disability/mobility type use - for other applications, please speak to a RampCentre product advisor. All dimensions, weights and conversions are approximate for your easy reference only and specific risk assessments (including all manual handling assessment and product use issues) should be carried out prior to the use of the equipment supplied. Stated capacities apply for the combined weight of mobility devices and/or passenger/attendant. For technical help and details of your nearest stockist phone 020 8275 0375. © Copyright Enable Access Ltd.



Ask for copies of our handy A5 Ramp Guide flyer for your colleagues and clients.

Includes all main RampCentre ranges including ramp sizes and gradient information. Label space for your details

## Leading Ramp and Access innovation



Helping you  
“Get Ramps Right!”



**easyCare**  
systems

**rampCENTRE**  
Enable Access

T. 02380 420678 E. [info@easycare systems.co.uk](mailto:info@easycare systems.co.uk)

[www.easycare systems.co.uk](http://www.easycare systems.co.uk)

Easy Care Systems, Units 5 and 6 Lower Vicarage Road,  
Southampton - Hampshire SO19 7RJ